SKU#	Full Name	Dates Sold	Interface Ty	Comments/Comparsions	Cable color/sheathin	No. of Network Boxes	Box Position(s)	Box Color	Retail—8 ft.
				VariLay technology patent liscened to Monster Cable by Bruce Brisson. Most Monster products use versions of this technology today					
Monster Cable	Powerline 2	1984	Speaker	VariLay technology patent liscened to Monster Cable by Bruce Brisson. Most products use versions of this technology today					
Monster Cable	Powerline 3	1984	Speaker	First MIT branded peaker cable with advanced Vari Lay cable geometry.					
	750 MusicHose	1984	Speaker	appropiate impedance for improved power delivery		Non-networked			
	750 Shotgun	1986	Speaker			Non-networked			
				Cable designed to have extended high frequencies for use with tube amps					
	750E	1988	Speaker						
	750 CVT Constant Velocity Terminator	1989	Speaker	The First Network equipped cable. Patented CVT greatly improves low level detail and reduces noise in cable. In use in current designs. Engineered by MIT, distributed by Transparent Marketing.					
	Zapchord SC	1990	Speaker	Entry level, non networked product made by MIT and distributed by Transparent Marketing					110 (6 ft.)
				Entry level, non networked product made by MIT and distributed by Transparent Marketing					
	Zapchord SC/ZAP 1	1990	Speaker	Entry level, non networked product made by MIT and distributed by Transparent Marketing					125
	PC-Squared	1990	Speaker	,	Black or Grey				195
T2SB	MITerminator 2 Bi-wire	1994	Speaker		Beige	1	Speaker End	Beige	399
T2S	MITerminator 2	1994	Speaker		Beige	1	Speaker End	Beige	240
T3S	MITerminator 3	1994	Speaker		Beige	1	Speaker End	Beige	180
T3SB	MITerminator 3 Bi-wire	1994	Speaker		Beige	1	Speaker End	Beige	
T4S	MITerminator 4	1994	Speaker		Beige	1	Speaker End	Beige	120
T5S	MITerminator 5	1994	Speaker	Output Terminator networks with purposeful boost in high frequency energy. Best used with darker sounding systems, but technologically the equal of the 750 series of this generation		1	Speaker End		80
750HE	MH-750 High Energy Terminator	1995	Speaker	g0.0. actor	Beige	1	Speaker End	Beige	

SKU#	Full Name	Dates Sold	Interface T	y Comments / Comparsions	Cable color/sheath	in: No. of Network Boxes	Box Position(s)	Box Color	Retail—8 ft.
750ТТ	MH-750 Tube Terminator	1995	Speaker	Specialized networks designed for higher output impedances of tube amps. This optimized the cable for the limited current of the tube amp with improved power factor for increased dynamics. Output coupler and CVT Output coupler. Had better image focus and dynamics vs Terminator of the time	Beige	1	Speaker End	Beige	
750P	MH-750 Plus	1995	Speaker	the time	Beige	1	Speaker End	Beige	
				Breakout product that used network designs from the 770 series and incorporated input coupler technololgy as well as the output coupler. Much improved dynamics and imaging vs older 750 series. New cosmetics and later used ICONN connector system.	-			-	
				Has input coupler, output coupler, CVT and uses 770 cable with less conductor runs. Extreme caution with certain tube					
770R	MH-770 Reference CVTerminator	1995	Speaker	amps. Similar in looks to 770 Reference. Plastic boxes vs metal on 770 References on up. Less networks for	Beige	2, plus Coupler	Speaker End	Beige	
770TW	MH-770 Twin CVTerminator	1995	Speaker	less articulation. Caution with tube amps. Lack Input coupler networks. Lacks articulation at lowest frequencies as compared to above.	Beige	2, plus Coupler	Ends	Beige	2,495
770CT	MH-770 CVTerminator	1995	Speaker	Biwire version of 770 Twin.	Beige	1, plus Coupler	Speaker End	Beige	
770BW	MH-770 Bi-Wire CVTerminator	1996	Speaker	DIWITE VEISION OF 770 TWIN.	Warm Grey	2, plus Coupler		Grey	3,500
				Basic 750 entry level without CVT. Better dynamics vs Terminator. Will not be as articulate as the upper level of 750s					
750T	MH-750 Terminator	1996	Speaker	Multiple Networks idealized for different ranges and true separate paths, termed "Multple Bandwidth". Triwires for Avalon Radians and the 2C3D system. Do not use with Tube amps	Beige	1	Speaker End	Beige	495
850TW	MH-850 Multi-Bandwidth CVTerminator Tri-wired	1996	Speaker	Multiple Bandwidth design idealized for different ranges and true separate paths. Better lows, highs compared to	Beige	2, plus Coupler	Speaker End, CVT at amp	Beige	8,995
850BW	MH-850 Multi-Bandwidth CVTerminator Bi-wired	1996	Speaker	770. Do not use with Tube amps Multiple networks designed for single wire applications. Better lows, highs compared to 770s. Do not use with Tube amps	Beige	2, plus Coupler	Speaker End, CVT at amp	Beige	7,995
850R 770TWT	MH-850 Reference CVTerminator	1996	Speaker		Beige	2, plus Coupler	Speaker End, CVT at amp	Beige	6,995
//UIWI	MH-770 Twin Tube CVTerminator	1996	Speaker		Beige	2, plus Coupler	Speaker End, CVT at amp	Beige	3,000

SKU#	Full Name	Dates Sold	Interface T	yı Comments/Comparsions	Cable color/sheati	nin: No. of Network Boxes	Box Position(s)	Box Color	Retail—8 ft.
850SGE	MH-850 Shotgun EVO	1997	Speaker	Designed for 2C3D system(Avalon Eidolon, Spectral, ASC, MIT system). Had two Output Terminator sections. Do Not Use with tube amps.	Grey w/ sheathing	3, plus coupler		Silver	9,995 (10 ft.)
030302	THE 636 Shotgan EVG	1337	эрсикс		Grey W/ Sheathing	o, plus couplei		Silvei	3,333 (1010.)
850SGEB	MH-850 Shotgun EVO Bi-wire	1997	Speaker	Biwire version of 850 EVO Do not use with Tube amps Triwire version of 850 EVOs. Do not use with Tube amps	Grey w/ sheathing	3, plus coupler		Silver	0,995 (10 ft.)
850SGET	MH-850 Shotgun EVO Tri-wire	1997	Speaker	ase men rase amps	Grey w/ sheathing	3, plus coupler		Silver	1,995 (10 ft.)
850SGEPT	MH-850 Shotgun EVO PT (Puppy Tail)	1997	Speaker	Use with existing speaker cable. Idealized for the Watt/Puppy 3s and 5.1 systems and a significant upgrade. Best used with two stereo amps and the 350 Push Pull interconnects. Can be used with symmetrical amps ie.	Grey w/ sheathing	1	Speaker End	Silver	
770PP	MH-770 CVTerminator OPT (Opposite Phase Terr	nir 1997	Speaker	krell FPB series. system and EEAR(Energy\Efficiency\Accuracy Rating system for quantifying amount (by %) of effeciency that the new Terminator family had. T2 Biwire=EEAR of 20.4 Higher # indicates the greater % of energy delivered	Silver	4		Silver	3,995
HT2SB	MITerminator 2 Bi-Wire	1997	Speaker	Single wire version. Lack of Multiple	Grey	1	Speaker End	Grey	399
HT2S	MITerminator 2	1997	Speaker	Bandwidth design results in lower EEAR of 16.3	Grey	1	Speaker End	Grey	240
HT3S	MITerminator 3	1997	Speaker	EEAR of 8.8	Grey	1	Speaker End	Grey	180
				Multple bandwidth design, EEAR rating				•	
HT4SB	MITerminator 4 Bi-Wire	1997	Speaker	of 9.9	Grey	1	Speaker End	Grey	200
HT4S	MITerminator 4	1997	Speaker	EEAR rating 7.9 EEAR rating 6.0	Grey	1	Speaker End	Grey	120
HT5S	MITerminator 5	1997	Speaker	-	Grey	1	Speaker End	Grey	80
HT6S	MITerminator 6	1997	Speaker	EEAR rating 4.5	Grey	1	Speaker End	Grey	60
750CTII	MH-750 CVTerminator II	1997	Speaker	Improved low frequency image focus because of IST(image specific technology) over first series.	Poigo	1	Speaker End	Poigo	995
750С111	MH-750 CV Terminator 11	1997	Speaker	Biwire version with multiple paths of 750 Terminator. True separate paths for highs and lows.	Beige	1	Speaker End	Beige	995
750BW	MH-750 Bi-Wire	1997	Speaker	.sagris and ions.	Beige	1	Speaker End	Beige	995
750HEII	MH-750 High Energy Terminator Series Two	1997	Speaker	Improved focus over first series.	Beige	1	Speaker End	Beige	695
750TTII	MH-750 Tube Terminator Series Two	1997	Speaker	Improved image focus over first series.	Beige	1	Speaker End	Beige	695

SKU#	Full Name	Dates Sold	Interface Ty	/ Comments/Comparsions	Cable color/sheathin No. of Network Boxes		Box Position(s)	Box Color	Retail—8 ft.
750PII	MH-750 Plus Series Two	1997	Speaker	CVT and improved output coupler New series with improved networks vs older Terminator. EEAR rating system abandoned, but every cable model moved up one level ie. T4 uses the T3 network for improved EEAR	Beige	1	Speaker End	Beige	595
NT2S	MITerminator 2	1999	Speaker	,	Grey w/ Grey sheathing	1	Speaker End	Grey	500
NT2SB	MITerminator 2 Bi-Wire	1999	Speaker		Grey w/ Grey sheathing	1	Speaker End	Grey	550
NT3S	MITerminator 3	1999	Speaker		Grey w/ Grey sheathing		Speaker End	Grey	300
NT3SB	MITerminator 3 Bi-Wire	1999	Speaker		Grey w/ Grey sheathing		Speaker End	Grey	350
NT4S	MITerminator 4	1999	Speaker		Grey w/ Grey sheathing		Speaker End	Grey	200
NT4SB	MITerminator 4 Bi-Wire	1999	Speaker		Grey w/ Grey sheathing		Speaker End	Grey	250
NT5S	MITerminator 5	1999	Speaker		Grey	1	Speaker End	Grey	130
NT6S	MITerminator 6	1999	Speaker		Grey	1	Speaker End	Grey	90
	Tironimator o	2333	o pearter		0.0,	-	opeaner End	0.0,	30
UT4s	Universal Speaker Module T4	1999	In-wall Speak	er Module	N/A	1	N/A	Blue	60 each
UT2s	Universal Speaker Module T2	1999	In-wall Speak		N/A	1	N/A	Blue	100 each
				Improved cosmetics and networks with IST, CVT and output coupler. ICONN connector system.	·				
750PS3	MH-750 Plus S3 (Series Three)	1999	Speaker	Specialized networks designed for higher output impedances of tube amps. This optimized the cable for the limited current of the tube amp with improved power factor for increased	Grey w/ Grey sheathing	1, plus coupler	Speaker End	Dark Grey	750
750PST3	MH-750 Plus S3 Tube	1999	Speaker	dynamics. Output coupler and CVT Biwire version with idealized networks and separate paths.	Grey w/ Grey sheathing	1, plus coupler	Speaker End	Dark Grey	750
750PSBW	MH-750 Plus S3 Bi-wire	1999	Speaker		Grey w/ Grey sheathing	1, plus coupler	Speaker End	Dark Grey	850
750SGS	MH-750 Shotgun	1999	Speaker	Specialized networks designed for higher output impedances of tube amps. This optimized the cable for the limited current of the tube amp with improved power factor for increased	Grey w/ Grey sheathing	1, plus coupler	Speaker End	Dark Grey	999
750SGST	MH-750 Shotgun Tube	1999	Speaker	dynamics. Output coupler and CVT Biwire version with idealized networks and separate paths.	Grey w/ Grey sheathing	1, plus coupler	Speaker End	Dark Grey	999
750SGSBW	MH-750 Shotgun Bi-wire	1999	Speaker	Biwire version with idealized networks and separate paths.	Grey w/ Grey sheathing	1, plus coupler	Speaker End	Dark Grey	1,199
750SGSTBW	MH-750 Shotgun Bi-wire Tube	1999	Speaker		Grey w/ Grey sheathing	1, plus coupler	Speaker End	Dark Grey	1,199
770TWII	MH-770 CVTerminator Twin Series Two	1999	Speaker		Dark Grey w/ Grey shea	t 2, plus coupler	Coupler & Input Term. At source; CVTerminator: load e	nd Grev	2,495
770TWTII	MH-770 CVTerminator Twin Tube Series Two	1999	Speaker		Dark Grey w/ Grey shea		Coupler & Input Term. At source; CVTerminator: load e		3,000
770BWII	MH-770 CVTerminator Twin Bi-Wire Series Two	1999	Speaker		Dark Grey w/ Grey shea		Coupler & Input Term. At source; CVTerminator: load e		3,500
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	o o v communication in the bonds into	2000	Speaker		_ 3. K 3. C, W, G/C, 3/100	, prae coaproi	a inpaction in a bource, eviterimiator i load e		3,300
ORAS	Oracle 2000 Shotgun EVO	1999	Speaker		Dark Grey w/ Grey shea	t 1, plus coupler	Coupler at source; Network at load		13,999
T55S	T55 Speaker Modules	2000	Speaker		N/A	1 module	Installed at load end	Grey	120/pair
T44S	T44 Speaker Modules	2000	Speaker		N/A	1 module	Installed at load end	Grey	160/pair

SKU# Full Na	ame	Dates Sold	Interface Ty	Comments/Comparsions	Cable color/sheathin: No. of Network Boxes	Box Position(s)	Box Color	Retail—8 ft.
				detail and high frequency extension vs. older Reference products. Single				
				network enclosure incorporating Input Coupler, Output Coupler, Image				
				Specific Networks and Jitter Free				
				Analogue designs and placed in a single				
				network enclosure behind speaker for more practical installation. Oracle				
				family introduced Output Specific				
				modeling. Wide is for most solid state				
				amps and Ultrawide was for Spectral.				
				Purpose was to idealized articulation for the range of the amplifier. Not an				
				issue of one quality, but one of proper				
				fitment				
	V4 Wide Bandwidth	2000	Speaker		Dark Grey w/ sheathing 1, plus coupler	Speaker End	Silver	2,995
	V4 Ultra-Wide Bandwidth V4 Wide Bandwidth Bi-Wire	2000 2000	Speaker		Dark Grey w/ sheathing 1, plus coupler	Speaker End	Silver Silver	2,995
	V4 Wide Bandwidth Bi-Wire V4 Ultra-Wide Bandwidth Bi-Wire	2000	Speaker Speaker		Dark Grey w/ sheathing 1, plus coupler Dark Grey w/ sheathing 1, plus coupler	Speaker End Speaker End	Silver	3,495 3,495
Old Strict Strict	Troute Mac Sanamach St. Time	2000	opeane.	Improved low frequency extension vs	San Grey ny Sheathing 1, plus couples	Speaker End	5	3, 133
				V4s. See comment of V4 for difference				
ORASV3W Oracle	V3 Wide Bandwidth	2000	Speaker	in versions	Dark Grey w/ sheathing 1, plus coupler	Speaker End	Silver	4,995
	V3 Ultra-Wide Bandwidth	2000	Speaker		Dark Grey w/ sheathing 1, plus coupler Dark Grey w/ sheathing 1, plus coupler	Speaker End	Silver	4,995
	V3 Wide Bandwidth Bi-Wire	2000	Speaker		Dark Grey w/ sheathing 1, plus coupler	Speaker End	Silver	5,495
ORASV3UWBW Oracle	V3 Ultra-Wide Bandwidth Bi-Wire	2000	Speaker		Dark Grey w/ sheathing 1, plus coupler	Speaker End	Silver	5,495
				Improved low frequencies and soundstage consistency vs V4, V3.				
				Detachable input cable.				
				See V4 comments for differences				
	V2 Wide Bandwidth	2000	Speaker	between versions	Dark Grey w/ sheathing 1, plus coupler	Speaker End	Silver	6,995
	V2 Ultra-Wide Bandwidth V2 Wide Bandwidth Bi-Wire	2000 2000	Speaker Speaker		Dark Grey w/ sheathing 1, plus coupler Dark Grey w/ sheathing 1, plus coupler	Speaker End Speaker End	Silver Silver	6,995 7,495
	V2 Wide Baildwidth Bi-Wire	2000	Speaker		Dark Grey w/ sheathing 1, plus coupler Dark Grey w/ sheathing 1, plus coupler	Speaker End	Silver	7,495 7,495
				Designed for Spectral and has improved				.,
				low frequency vs others. Virtually a V1				
				but with less interior detail.				
	V2 Matrix Ultra-Wide Bandwidth	2000	Speaker		Dark Grey w/ sheathing 1, plus coupler	Speaker End	Silver	9,995
ORASV2UWMBV Oracie	V2 Matrix Bi-Wire Ultra-Wide Bandwidth	2000	Speaker	MITs top design with best	Dark Grey w/ sheathing 1, plus coupler	Speaker End	Silver	10.745
				articulation across the range.				
				Detachable input cable.				
ORASV1W Oracle	V1 Wide Bandwidth	2000	Speaker		Dark Grey w/ sheathing 1, plus coupler	Speaker End	Silver	13,999
				Spectral version				
	V1 Prism Ultra-Wide Bandwidth V1 Wide Bandwidth Bi-Wire	2000 2000	Speaker Speaker		Dark Grey w/ sheathing 1, plus coupler Dark Grey w/ sheathing 1, plus coupler	Speaker End Speaker End	Silver Silver	13,999 14,999
	V1 Bi-Wire Wide Bandwidth	2000	Speaker		Dark Grey w/ sheathing 1, plus coupler	Speaker End	Silver	14,999
				Spectral version	, , , , , ,	·		,
ORASV1UWPBW Oracle	V1 Prism Bi-Wire Ultra-Wide Bandwidth	2000	Speaker		Dark Grey w/ sheathing 1, plus coupler	Speaker End	Silver	14,999
				Combination of the Shotgun and Oracle technologies. Had detachable output				
				tails that allowed network box to stay				
				on the floor. Much better bottom end				
750MAC **** 750	M	2000	Caralian	and focus than 750 SG	Discharbine detects to the second	Caralian Fad	C	1 005
750MAG MH-750) Magnum	2000	Speaker	Biwire version with idealized networks	Black sheathing; detacha 1, plus coupler	Speaker End	Grey	1,995
				and separate paths.				
750MAGBW MH-750) Magnum Bi-wire	2000	Speaker		Grey w/ Grey sheathing; 1, plus coupler	Speaker End	Grey	2,245

SKU#	Full Name	Dates Sold	Interface Ty	yı Comments/Comparsions	Cable color/sheathin: No. of Network Boxes		Box Position(s)	Box Color	Retail—8 ft.
				Same in performance to the HT series. WT (World Terminator) Series was intended for international distribution and needed the lower price points because of distribution costs.					
WT2S	MITerminator 2	2000	Speaker	because of distribution costs.	Grey w/ Grey sheathing	. 1	Speaker End	Grey	252
WT2SB	MITerminator 2 Bi-Wire	2000	Speaker		Grey w/ Grey sheathing		Speaker End	Grey	420
WT3S	MITerminator 3	2000	Speaker		Grey w/ Grey sheathing		Speaker End	Grey	189
WT4S	MITerminator 4	2000	Speaker		Grey w/ Grey sheathing		Speaker End	Grey	126
WT4SB	MITerminator 4 Bi-Wire	2000	Speaker		Grey w/ Grey sheathing		Speaker End	Grey	263
WT5S	MITerminator 5	2000	Speaker		Grey	1	Speaker End	Grey	84
ORASV3.1W	Oracle V3.1 Wide Bandwidth	2002	Speaker		Black w/ sheathing	1, plus coupler	Coupler at source; Network at load	Silver metall	i 4,995
ORASV3.1EX	Oracle V3.1 Wide Bandwidth EX	2002	Speaker		Black w/ sheathing	1, plus coupler	Coupler at source; Network at load	Silver metall	,
ORASV3.1UW	Oracle V3.1 Ultra-Wide Bandwidth	2002	Speaker		Black w/ sheathing	1, plus coupler	Coupler at source; Network at load	Silver metall	•
ORASV3.1WBV	V Oracle V3.1 Bi-Wire Wide Bandwidth	2002	Speaker		Black w/ sheathing	1, plus coupler	Coupler at source; Network at load	Silver metall	
ORASV3.1EXB	W Oracle V3.1 Bi-Wire Wide Bandwidth EX	2002	Speaker		Black w/ sheathing	1, plus coupler	Coupler at source; Network at load	Silver metall	i 5,495
ORASV3.1UWB	V Oracle V3.1 Bi-Wire Ultra-Wide Bandwidth	2002	Speaker		Black w/ sheathing	1, plus coupler	Coupler at source; Network at load	Silver metall	
ORASV2.1W	Oracle V2.1 Wide Bandwidth	2002	Speaker		Black w/ sheathing	1, plus coupler	Coupler at source; Network at load	Silver metall	i 8,995
ORASV2.1EX	Oracle V2.1 Wide Bandwidth EX	2002	Speaker		Black w/ sheathing	1, plus coupler	Coupler at source; Network at load	Silver metall	i 8,995
ORASV2.1UW	Oracle V2.1 Ultra-Wide Bandwidth	2002	Speaker		Black w/ sheathing	1, plus coupler	Coupler at source; Network at load	Silver metall	i 8,995
ORASV2.1WBV	V Oracle V2.1 Bi-Wire Wide Bandwidth	2002	Speaker		Black w/ sheathing	1, plus coupler	Coupler at source; Network at load	Silver metall	i 9,495
ORASV2.1EXB	W Oracle V2.1 Bi-Wire Wide Bandwidth EX	2002	Speaker		Black w/ sheathing	1, plus coupler	Coupler at source; Network at load	Silver metall	i 9,495
ORASV2.1UWE	W Oracle V2.1 Bi-Wire Ultra-Wide Bandwidth	2002	Speaker		Black w/ sheathing	1, plus coupler	Coupler at source; Network at load	Silver metall	i 9,495
ORASV1.1W	Oracle V1.1 Wide Bandwidth	2002	Speaker		Black w/ sheathing	1, plus coupler	Coupler at source; Network at load	Silver metall	i 14,995
ORASV1.1EX	Oracle V1.1 Wide Bandwidth EX	2002	Speaker		Black w/ sheathing	1, plus coupler	Coupler at source; Network at load	Silver metall	i 14,995
ORASV1.1UW	Oracle V1.1 Ultra-Wide Bandwidth	2002	Speaker		Black w/ sheathing	1, plus coupler	Coupler at source; Network at load	Silver metall	i 14,995
ORASV1.1WBV	V Oracle V1.1 Bi-Wire Wide Bandwidth	2002	Speaker		Black w/ sheathing	1, plus coupler	Coupler at source; Network at load	Silver metall	i 15,495
ORASV1.1EXB	W Oracle V1.1 Bi-Wire Wide Bandwidth EX	2002	Speaker		Black w/ sheathing	1, plus coupler	Coupler at source; Network at load	Silver metall	i 15,495
ORASV1.1UWE	V Oracle V1.1 Bi-Wire Ultra-Wide Bandwidth	2002	Speaker		Black w/ sheathing	1, plus coupler	Coupler at source; Network at load	Silver metall	i 15,495