SKU#	Full Name	Dates Sold	Interface Ty	Comments/Comparsions	Cable color/sheathin	No. of Network Boxes	Box Position(s)	Box Color	Retail—8 ft.
				Varil au tachaologu astart liceanad ta					
				VariLay technology patent liscened to Monster Cable by Bruce Brisson. Most Monster products use versions of this technology today					
Monster Cable	Powerline 2	1984	Speaker						
				VariLay technology patent liscened to Monster Cable by Bruce Brisson. Most products use versions of this technology today					
Monster Cable	Powerline 3	1984	Speaker	First MIT branded peaker cable with advanced Vari Lay cable geometry.					
	750 MusicHose	1984	Speaker	appropiate impedance for improved power delivery		Non-networked			
	750 Shotgun	1986	Speaker			Non-networked			
				Cable designed to have extended high frequencies for use with tube amps					
	750E	1988	Speaker						
				The First Network equipped cable. Patented CVT greatly improves low level detail and reduces noise in cable. In use in current designs. Engineered by MIT, distributed by Transparent					
	750 CVT Constant Velocity Terminator	1989	Speaker	Marketing.					
				Entry level, non networked product made by MIT and distributed by Transparent Marketing					
	Zapchord SC	1990	Speaker						110 (6 ft.)
				Entry level, non networked product made by MIT and distributed by Transparent Marketing					
	Zapchord SC/ZAP 1	1990	Speaker	Entry level, non networked product made by MIT and distributed by Transparent Marketing					125
	PC-Squared	1990	Speaker		Black or Grey				195
T2SB	MITerminator 2 Bi-wire	1994	Speaker		Beige	1	Speaker End	Beige	399
T2S T3S	MITerminator 2	1994	Speaker		Beige	1	Speaker End	Beige	240
T3SB	MITerminator 3 MITerminator 3 Bi-wire	1994 1994	Speaker Speaker		Beige Beige	1 1	Speaker End	Beige Beige	180
T4S	MITerminator 4	1994	Speaker Speaker		Beige Beige	1	Speaker End Speaker End	Beige Beige	120
T5S	MITerminator 5	1994	Speaker		-	1	Speaker End		80
				Output Terminator networks with purposeful boost in high frequency energy. Best used with darker sounding systems, but technologically the equal of the 750 series of this					
750HE	MH-750 High Energy Terminator	1995	Speaker	generation	Beige	1	Speaker End	Beige	

No. No. Solar	SKU#	Full Name	Dates Sold	Interface T	y Comments/Comparsions	Cable color/sheath	in! No. of Network Boxes	Box Position(s)	Box Color	Retail—8 ft.
Note:	750TT	MH-750 Tube Terminator	1995	Speaker	amps. This optimized the cable for the limited current of the tube amp with improved power factor for increased	Beige	1	Speaker End	Beige	
728. NH270 Reference CVTerminator 298 Samo Began 2, plan Conferm Speeker bal Began 2, plan Conferm </td <td></td> <td></td> <td></td> <td></td> <td>focus and dynamics vs Terminator of</td> <td></td> <td></td> <td></td> <td></td> <td></td>					focus and dynamics vs Terminator of					
Image: Section of the section of t	750P	MH-750 Plus	1995	Speaker		Beige	1	Speaker End	Beige	
P370 HN 707 keeree CVTeminator P39 Space Space <t< td=""><td></td><td></td><td></td><td></td><td>designs from the 770 series and incorporated input coupler technololgy as well as the output coupler. Much improved dynamics and imaging vs older 750 series. New cosmetics and later used ICONN connector system. Has input coupler, output coupler, CVT</td><td></td><td></td><td></td><td></td><td></td></t<>					designs from the 770 series and incorporated input coupler technololgy as well as the output coupler. Much improved dynamics and imaging vs older 750 series. New cosmetics and later used ICONN connector system. Has input coupler, output coupler, CVT					
PDR MH+70 Reference (VTerminator PDS Space Proc. Beige 2 plus Coupler Space/End Beige Space/End P70TV MH+70 Twin CVTerminator PDS Space/End Space/End Proc. <					runs.					
P201W Mi-70 TWI CVTerminator P39 Space Space Bege 2, plus Coupler Bein Ends Bein Page	770R	MH-770 Reference CVTerminator	1995	Speaker	amps. Similar in looks to 770 Reference.	Beige	2, plus Coupler	Speaker End	Beige	
P20TW Mi-70 TWin CVTerminator [995] Speak pack pack scored compa					References on up. Less networks for					
7CT MH-702 CVTerminator 1995 Space Beige 1, plus Coupler Space End Beige 1, plus Coupler 7C70BW MH-702 Bi-Wire CVTerminator 1996 Space Warn Grey 2, plus Coupler Grey 3, 500 7C70BW MH-702 Bi-Wire CVTerminator 1996 Space Balic 750 entry level without CVT, plus thet sch streight organize sch steper level of 750. Beige 1 Space End Beige 1 720T MH-702 Terminator 1996 Space Balic 750 entry level without CVT, plus thet sch streight organize sch steper level of 750. Beige 1 Space End Beige 1 720T MH-702 Terminator 1996 Space Beige 1 Space End Beige 1 720T MH-702 Terminator 1996 Space Space End Space End Beige 1 Space End Beige 1 Space End Beige 1 Space End Space End <t< td=""><td>770TW</td><td>MH-770 Twin CVTerminator</td><td>1995</td><td>Speaker</td><td>amps. Lack Input coupler networks. Lacks articulation at lowest frequencies as</td><td>Beige</td><td>2, plus Coupler</td><td>Ends</td><td>Beige</td><td>2,495</td></t<>	770TW	MH-770 Twin CVTerminator	1995	Speaker	amps. Lack Input coupler networks. Lacks articulation at lowest frequencies as	Beige	2, plus Coupler	Ends	Beige	2,495
700W MH-700 Hi-Wire CVTerminator 196 Speaker Mar Group 2, plus Coupler Georg 3, 200 750T MH-750 Terminator 1996 Speaker Beige 1 Speaker End Beige 1 Speaker End Beige 495 750T MH-750 Terminator 1996 Speaker Multiple Networks idealized for different ranges and true separate paths, true-mere marges and true separate	770CT	MH-770 CVTerminator	1995	Speaker		Beige	1, plus Coupler	Speaker End	Beige	
7507 MH-750 Terminator 1996 Speaker Beige 1 Speaker End Beige 495 8507W MH-850 Multi-Bandwidth CVTerminator Th-iwer 1996 Speaker Beige 2, plus Coupler Speaker End, CVT at amp Beige 8,955 8507W MH-850 Multi-Bandwidth CVTerminator Th-iwer 1996 Speaker Beige 2, plus Coupler Speaker End, CVT at amp Beige 8,955 8507W MH-850 Multi-Bandwidth CVTerminator Th-iwer 1996 Speaker Beige 2, plus Coupler Speaker End, CVT at amp Beige 3, plus Coupler Speaker End, CVT at amp Beige 3, plus Coupler Speaker End, CVT at amp Beige 3, plus Coupler Speaker End, CVT at amp Beige 3, plus Coupler Speaker End, CVT at amp Beige 3, plus Coupler Speaker End, CVT at amp Beige 3, plus Coupler Speaker End, CVT at amp Beige 3, plus Coupler Speaker End, CVT at amp Beige 3, plus Coupler Speaker End, CVT at amp Beige 3, plus Coupler Speaker End, CVT at amp Beige 3, plus Coupler Speaker End, CVT at amp Beige 3, plus Coupler Speaker End, CVT at amp Beige 3, plus C	770BW	MH-770 Bi-Wire CVTerminator	1996	Speaker	Diwite version of 770 twin.	Warm Grey	2, plus Coupler		Grey	3,500
850R MH-850 Multi-Bandwidth CVTerminator Tri-wire 196 Speaker Beige 2, plus Coupler Speaker End, CVT at amp Beige 8,995 850R MH-850 Multi-Bandwidth CVTerminator Tri-wire 196 Speaker Beige 2, plus Coupler Speaker End, CVT at amp Beige 8,995 850R MH-850 Multi-Bandwidth CVTerminator Tri-wire 196 Speaker Multiple Bandwidth design idealized for different ranges and true separate patris. Better lows, highs compared to 770. Do not use with Tube amps 2, plus Coupler Speaker End, CVT at amp Beige 8,995 850R MH-850 Multi-Bandwidth CVTerminator Bi-wired 1996 Speaker Beige 2, plus Coupler Speaker End, CVT at amp Beige 7,995 850R MH-850 Reference CVTerminator 1996 Speaker Beige 2, plus Coupler Speaker End, CVT at amp Beige 7,995 850R MH-850 Reference CVTerminator 1996 Speaker Beige 2, plus Coupler Speaker End, CVT at amp Beige 7,995 850R MH-850 Reference CVTerminator 1996 Speaker Beige 2, plus Coupler Speaker End, CVT at amp Beige 6,995 <td></td> <td></td> <td></td> <td></td> <td>Better dynamics vs Terminator. Will not be as articulate as the upper level</td> <td></td> <td></td> <td></td> <td></td> <td></td>					Better dynamics vs Terminator. Will not be as articulate as the upper level					
850TW MH-850 Multi-Bandwidth CVTerminator Tri-wired 1996 Speaker Beige 2, plus Coupler Speaker End, CVT at amp Beige 8,995 850BW MH-850 Multi-Bandwidth CVTerminator Bi-wired In 996 Speaker Multiple Bandwidth design idealized for different ranges and true separate paths. Better lows, highs compared to 70. Do not use with Tube amps Beige 2, plus Coupler Speaker End, CVT at amp Beige Peige Peige <t< td=""><td>750T</td><td>MH-750 Terminator</td><td>1996</td><td>Speaker</td><td>ranges and true separate paths, termed "Multple Bandwidth". Triwires for Avalon Radians and the 2C3D</td><td>Beige</td><td>1</td><td>Speaker End</td><td>Beige</td><td>495</td></t<>	750T	MH-750 Terminator	1996	Speaker	ranges and true separate paths, termed "Multple Bandwidth". Triwires for Avalon Radians and the 2C3D	Beige	1	Speaker End	Beige	495
850BW MH-850 Multi-Bandwidth CVTerminator Bi-wired 1996 Speaker Beige 2, plus Coupler Speaker End, CVT at amp Beige 7,995 850BW MH-850 Multi-Bandwidth CVTerminator Bi-wired 1996 Speaker Beige 2, plus Coupler Speaker End, CVT at amp Beige 7,995 850BW MH-850 Multi-Bandwidth CVTerminator Bi-wired 1996 Speaker Multiple networks designed for single wire applications. Better lows, highs compared to 770s. Do not use with trube amps For the applications. Better lows, highs compared to 770s. Do not use with trube amps For the applications. Better lows, highs compared to 770s. Do not use with trube amps For the applications. Better lows, highs compared to 770s. Do not use with trube amps For the applications. Better lows, highs compared to 770s. Do not use with trube amps For the applications. Better lows, highs compared to 770s. Do not use with trube amps 850R MH-850 Reference CVTerminator 1996 Speaker Beige 2, plus Coupler Speaker End, CVT at amp Beige 6,995	850TW	MH-850 Multi-Bandwidth CVTerminator Tri-wired	1996	Speaker	system. Do not use with Tube amps	Beige	2, plus Coupler	Speaker End, CVT at amp	Beige	8,995
store MH-850 Reference CVTerminator 1996 Speaker Speaker Beige 2, plus Coupler Speaker End, CVT at amp Beige 6,995	850BW	MH-850 Multi-Bandwidth CVTerminator Bi-wired	1996	Speaker	different ranges and true separate paths. Better lows, highs compared to 770. Do not use with Tube amps Multiple networks designed for single	Beige	2, plus Coupler	Speaker End, CVT at amp	Beige	7,995
850R MH-850 Reference CVTerminator 1996 Speaker Beige 2, plus Coupler Speaker End, CVT at amp Beige 6,995					compared to 770s. Do not use with					
	850R 770TWT	MH-850 Reference CVTerminator MH-770 Twin Tube CVTerminator	1996 1996	Speaker Speaker	i ube amps	Beige Beige	2, plus Coupler 2, plus Coupler	Speaker End, CVT at amp Speaker End, CVT at amp	Beige Beige	6,995 3,000

SKU#	Full Name	Dates Sold	Interface T	y Comments/Comparsions	Cable color/sheath	nin! No. of Network Boxes	Box Position(s)	Box Color	Retail—8 ft.
850SGE	MH-850 Shotgun EVO	1997	Speaker	Designed for 2C3D system(Avalon Eidolon, Spectral, ASC, MIT system). Had two Output Terminator sections. Do Not Use with tube amps.	Grey w/ sheathing	3, plus coupler		Silver	9,995 (10 ft.)
000002		1000	opeaner		erey ny sheathing			0.110	5,555 (10 10)
850SGEB	MH-850 Shotgun EVO Bi-wire	1997	Speaker	Biwire version of 850 EVO Do not use with Tube amps Triwire version of 850 EVOs. Do not use with Tube amps	Grey w/ sheathing	3, plus coupler		Silver	0,995 (10 ft.)
850SGET	MH-850 Shotgun EVO Tri-wire	1997	Speaker		Grey w/ sheathing	3, plus coupler		Silver	1,995 (10 ft.)
850SGEPT	MH-850 Shotgun EVO PT (Puppy Tail)	1997	Speaker	Use with existing speaker cable. Idealized for the Watt/Puppy 3s and 5.1 systems and a significant upgrade. Best used with two stereo amps and the 350 Push Pull interconnects. Can be used with symmetrical amps ie. Krell FPB series.	Grey w/ sheathing	1	Speaker End	Silver	
770PP	MH-770 CVTerminator OPT (Opposite Phase Terr	nir 1997	Speaker	system and EEAR(Energy\Efficiency\Accuracy Rating system for quantifying amount (by %) of effeciency that the new Terminator family had. T2 Biwire=EEAR of 20.4 Higher # indicates the greater % of energy delivered	Silver	4		Silver	3,995
HT2SB	MITerminator 2 Bi-Wire	1997	Speaker		Grey	1	Speaker End	Grey	399
				Single wire version. Lack of Multiple Bandwidth design results in lower EEAR					
HT2S	MITerminator 2	1997	Speaker	of 16.3 EEAR of 8.8	Grey	1	Speaker End	Grey	240
HT3S	MITerminator 3	1997	Speaker	Multple bandwidth design, EEAR rating	Grey	1	Speaker End	Grey	180
HT4SB	MITerminator 4 Bi-Wire	1997	Speaker	of 9.9	Grey	1	Speaker End	Grey	200
HT4S	MITerminator 4	1997	Speaker	EEAR rating 7.9 EEAR rating 6.0	Grey	1	Speaker End	Grey	120
HT5S	MITerminator 5	1997	Speaker		Grey	1	Speaker End	Grey	80
HT6S	MITerminator 6	1997	Speaker	EEAR rating 4.5	Grey	1	Speaker End	Grey	60
750CTII	MH-750 CVTerminator II	1997	Speaker	Improved low frequency image focus because of IST(image specific technology) over first series.	Beige	1	Speaker End	Beige	995
				Biwire version with multiple paths of 750 Terminator. True separate paths for highs and lows.					
750BW	MH-750 Bi-Wire	1997	Speaker		Beige	1	Speaker End	Beige	995
750HEII	MH-750 High Energy Terminator Series Two	1997	Speaker	Improved focus over first series.	Beige	1	Speaker End	Beige	695
750TTII	MH-750 Tube Terminator Series Two	1997	Speaker	Improved image focus over first series.	Beige	1	Speaker End	Beige	695

SKU#	Full Name	Dates Sold	Interface T	yı Comments/Comparsions	Cable color/sheathi	nı No. of Network Boxes	Box Position(s)	Box Color	Retail—8 ft.
750PII	MH-750 Plus Series Two	1997	Speaker	CVT and improved output coupler New series with improved networks vs older Terminator. EEAR rating system abandoned, but every cable model moved up one level ie. T4 uses the T3 network for improved EEAR	Beige	1	Speaker End	Beige	595
NT2S	MITerminator 2	1999	Speaker		Grey w/ Grey sheathing	1	Speaker End	Grey	500
NT2SB	MITerminator 2 Bi-Wire	1999	Speaker		Grey w/ Grey sheathing	1	Speaker End	Grey	550
NT3S	MITerminator 3	1999	Speaker		Grey w/ Grey sheathing	1	Speaker End	Grey	300
NT3SB	MITerminator 3 Bi-Wire	1999	Speaker		Grey w/ Grey sheathing	1	Speaker End	Grey	350
NT4S	MITerminator 4	1999	Speaker		Grey w/ Grey sheathing	1	Speaker End	Grey	200
NT4SB	MITerminator 4 Bi-Wire	1999	Speaker		Grey w/ Grey sheathing		Speaker End	Grey	250
NT5S	MITerminator 5	1999	Speaker		Grey	1	Speaker End	Grey	130
NT6S	MITerminator 6	1999	Speaker		Grey	1	Speaker End	Grey	90
11105		1999	Speaker		Giey	1		Grey	50
UT4s	Universal Speaker Module T4	1999	In-wall Speak	ver Module	N/A	1	N/A	Blue	60 each
UT2s	Universal Speaker Module T2	1999			N/A	1	N/A	Blue	100 each
0125	Universal Speaker Module 12	1999	In-wall Speak	ker Module	N/A	1	N/A	Blue	100 each
750PS3	MH-750 Plus S3 (Series Three)	1999	Speaker	Improved cosmetics and networks with IST, CVT and output coupler. ICONN connector system. Specialized networks designed for higher output impedances of tube amps. This optimized the cable for the	Grey w/ Grey sheathing	1, plus coupler	Speaker End	Dark Grey	750
750PST3	MH-750 Plus S3 Tube	1999	Speaker	limited current of the tube amp with improved power factor for increased dynamics. Output coupler and CVT Biwire version with idealized networks and separate paths.	Grey w/ Grey sheathing	1, plus coupler	Speaker End	Dark Grey	750
750PSBW	MH-750 Plus S3 Bi-wire	1999	Speaker		Grey w/ Grey sheathing	1 plus coupler	Speaker End	Dark Grey	850
750SGS	MH-750 Shotgun	1999	Speaker		Grey w/ Grey sheathing		Speaker End	Dark Grey	999
7505GST	MH-750 Shotgun Tube	1999	Speaker	Specialized networks designed for higher output impedances of tube amps. This optimized the cable for the limited current of the tube amp with improved power factor for increased dynamics. Output coupler and CVT Biwire version with idealized networks	Grey w/ Grey sheathing		Speaker End	Dark Grey	999
				and separate paths.					
750SGSBW	MH-750 Shotgun Bi-wire	1999	Speaker	Biwire version with idealized networks and separate paths.	Grey w/ Grey sheathing	1, plus coupler	Speaker End	Dark Grey	1,199
750SGSTBW	MH-750 Shotgun Bi-wire Tube	1999	Speaker		Grey w/ Grey sheathing	1, plus coupler	Speaker End	Dark Grey	1,199
770TWII 770TWTII 770BWII	MH-770 CVTerminator Twin Series Two MH-770 CVTerminator Twin Tube Series Two MH-770 CVTerminator Twin Bi-Wire Series Two	1999 1999 1999	Speaker Speaker Speaker		Dark Grey w/ Grey shea Dark Grey w/ Grey shea Dark Grey w/ Grey shea	at 2, plus coupler	Coupler & Input Term. At source; CVTerminator: load & Coupler & Input Term. At source; CVTerminator: load & Coupler & Input Term. At source; CVTerminator: load &	end Grey	2,495 3,000 3,500
ORAS	Oracle 2000 Shotgun EVO	1999	Speaker		Dark Grey w/ Grey shea	at 1, plus coupler	Coupler at source; Network at load		13,999
T55S	T55 Speaker Modules	2000	Speaker		N/A	1 module	Installed at load end	Grey	120/pair
T44S	T44 Speaker Modules	2000	Speaker		N/A	1 module	Installed at load end	Grey	160/pair
	- P				, :			,	/

SKU#	Full Name	Dates Sold	Interface Tv	Comments/Comparsions	Cable color/sheathin: No. of Network Boxes	Box Position(s)	Box Color	Retail—8 ft.
			•	detail and high frequency extension vs. older Reference products. Single				
				network enclosure incorporating Input				
				Coupler, Output Coupler, Image Specific Networks and Jitter Free				
				Analogue designs and placed in a single				
				network enclosure behind speaker for				
				more practical installation. Oracle family introduced Output Specific				
				modeling. Wide is for most solid state				
				amps and Ultrawide was for Spectral.				
				Purpose was to idealized articulation for the range of the amplifier. Not an				
				issue of one quality, but one of proper				
0.0.4.01/10/		2000	C 1	fitment			C ¹	2.005
ORASV4W ORASV4UW	Oracle V4 Wide Bandwidth Oracle V4 Ultra-Wide Bandwidth	2000 2000	Speaker Speaker		Dark Grey w/ sheathing 1, plus coupler Dark Grey w/ sheathing 1, plus coupler	Speaker End Speaker End	Silver Silver	2,995 2,995
	Oracle V4 Wide Bandwidth Bi-Wire	2000	Speaker		Dark Grey w/ sheathing 1, plus coupler	Speaker End	Silver	3,495
ORASV4UWBW	Oracle V4 Ultra-Wide Bandwidth Bi-Wire	2000	Speaker		Dark Grey w/ sheathing 1, plus coupler	Speaker End	Silver	3,495
				Improved low frequency extension vs V4s. See comment of V4 for difference				
				in versions				
ORASV3W	Oracle V3 Wide Bandwidth	2000	Speaker		Dark Grey w/ sheathing 1, plus coupler	Speaker End	Silver	4,995
ORASV3UW ORASV3WBW	Oracle V3 Ultra-Wide Bandwidth Oracle V3 Wide Bandwidth Bi-Wire	2000 2000	Speaker Speaker		Dark Grey w/ sheathing 1, plus coupler Dark Grey w/ sheathing 1, plus coupler	Speaker End Speaker End	Silver Silver	4,995 5,495
	Oracle V3 Wide Bandwidth Bi-Wire	2000	Speaker		Dark Grey w/ sheathing 1, plus coupler	Speaker End	Silver	5,495
				Improved low frequencies and				
				soundstage consistency vs V4, V3. Detachable input cable.				
				See V4 comments for differences				
ORASV2W	Oracle V2 Wide Bandwidth	2000	Speaker	between versions	Dark Grey w/ sheathing 1, plus coupler	Speaker End	Silver	6,995
ORASV2UW ORASV2WBW	Oracle V2 Ultra-Wide Bandwidth Oracle V2 Wide Bandwidth Bi-Wire	2000 2000	Speaker		Dark Grey w/ sheathing 1, plus coupler	Speaker End Speaker End	Silver Silver	6,995 7,495
	Oracle V2 Wide Bandwidth Bi-Wire Oracle V2 Ultra-Wide Bandwidth Bi-Wire	2000	Speaker Speaker		Dark Grey w/ sheathing 1, plus coupler Dark Grey w/ sheathing 1, plus coupler	Speaker End	Silver	7,495
				Designed for Spectral and has improved	· · · , , · · · · 5 , p · · · · p ·			,
				low frequency vs others. Virtually a V1 $$				
ORASV2WM	Oracle V2 Matrix Ultra-Wide Bandwidth	2000	Chapler	but with less interior detail.	Dark Crowwy chapthing 1 plus coupler	Chapter End	Silver	9,995
	Oracle V2 Matrix Offra-Wide Bandwidth	2000	Speaker Speaker		Dark Grey w/ sheathing 1, plus coupler Dark Grey w/ sheathing 1, plus coupler	Speaker End Speaker End	Silver	9,995 10.745
				MITs top design with best	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
				articulation across the range.				
ORASV1W	Oracle V1 Wide Bandwidth	2000	Speaker	Detachable input cable.	Dark Grey w/ sheathing 1, plus coupler	Speaker End	Silver	13,999
				Spectral version				
ORASV1UWP	Oracle V1 Prism Ultra-Wide Bandwidth	2000	Speaker		Dark Grey w/ sheathing 1, plus coupler	Speaker End	Silver	13,999
ORASV1WBW	Oracle V1 Wide Bandwidth Bi-Wire	2000	Speaker		Dark Grey w/ sheathing 1, plus coupler	Speaker End	Silver	14,999
ORASV1WBW	Oracle V1 Bi-Wire Wide Bandwidth	2000	Speaker	Spectral version	Dark Grey w/ sheathing 1, plus coupler	Speaker End	Silver	14,999
ORASV1UWPBW	/ Oracle V1 Prism Bi-Wire Ultra-Wide Bandwidth	2000	Speaker		Dark Grey w/ sheathing 1, plus coupler	Speaker End	Silver	14,999
				Combination of the Shotgun and Oracle technologies. Had detachable output				
				tails that allowed network box to stay				
				on the floor. Much better bottom end				
750MAG	MH-750 Magnum	2000	Speaker	and focus than 750 SG	Black sheathing; detach: 1, plus coupler	Speaker End	Crov	1,995
JUMAG	mi - 750 magilulii	2000	эреакег	Biwire version with idealized networks	brack sheathing; detache 1, plus coupler		Grey	1,995
				and separate paths.				
750MAGBW	MH-750 Magnum Bi-wire	2000	Speaker		Grey w/ Grey sheathing; 1, plus coupler	Speaker End	Grey	2,245

SKU# Full Name	Dates Sold	Interface Tyj Comments/C	omparsions	Cable color/sheathir	۱ No. of Network Boxes	Box Position(s)	Box Color Ret	ail—8 ft.
		WT (World Tern intended for inte	mance to the HT series. ninator) Series was ernational distribution lower price points ribution costs.					
WT2S MITerminator	2 2000	Speaker		Grey w/ Grey sheathing	1	Speaker End	Grey	252
WT2SB MITerminator	2 Bi-Wire 2000	Speaker		Grey w/ Grey sheathing		Speaker End	Grey	420
WT3S MITerminator	3 2000	Speaker		Grey w/ Grey sheathing	1	Speaker End	Grey	189
WT4S MITerminator	4 2000	Speaker		Grey w/ Grey sheathing	1	Speaker End	Grey	126
WT4SB MITerminator	4 Bi-Wire 2000	Speaker		Grey w/ Grey sheathing	1	Speaker End	Grey	263
WT5S MITerminator	5 2000	Speaker		Grey	1	Speaker End	Grey	84
ORASV3.1W Oracle V3.1 W	ide Bandwidth 2002	Speaker		Black w/ sheathing	1, plus coupler	Coupler at source; Network at load	Silver metalli	4,995
ORASV3.1EX Oracle V3.1 W	ide Bandwidth EX 2002	Speaker		Black w/ sheathing	1, plus coupler	Coupler at source; Network at load	Silver metalli	4,995
ORASV3.1UW Oracle V3.1 UI	tra-Wide Bandwidth 2002	Speaker		Black w/ sheathing	1, plus coupler	Coupler at source; Network at load	Silver metalli	4,995
ORASV3.1WBW Oracle V3.1 Bi	-Wire Wide Bandwidth 2002	Speaker		Black w/ sheathing	1, plus coupler	Coupler at source; Network at load	Silver metalli	5,495
ORASV3.1EXBW Oracle V3.1 Bi	-Wire Wide Bandwidth EX 2002	Speaker		Black w/ sheathing	1, plus coupler	Coupler at source; Network at load	Silver metalli	5,495
ORASV3.1UWBVOracle V3.1 Bi	-Wire Ultra-Wide Bandwidth 2002	Speaker		Black w/ sheathing	1, plus coupler	Coupler at source; Network at load	Silver metalli	5,495
ORASV2.1W Oracle V2.1 W	ide Bandwidth 2002	Speaker		Black w/ sheathing	1, plus coupler	Coupler at source; Network at load	Silver metalli	8,995
ORASV2.1EX Oracle V2.1 W	ide Bandwidth EX 2002	Speaker		Black w/ sheathing	1, plus coupler	Coupler at source; Network at load	Silver metalli	8,995
ORASV2.1UW Oracle V2.1 UI	tra-Wide Bandwidth 2002	Speaker		Black w/ sheathing	1, plus coupler	Coupler at source; Network at load	Silver metalli	8,995
ORASV2.1WBW Oracle V2.1 Bi	-Wire Wide Bandwidth 2002	Speaker		Black w/ sheathing	1, plus coupler	Coupler at source; Network at load	Silver metalli	9,495
ORASV2.1EXBW Oracle V2.1 Bi	-Wire Wide Bandwidth EX 2002	Speaker		Black w/ sheathing	1, plus coupler	Coupler at source; Network at load	Silver metalli	9,495
ORASV2.1UWBVOracle V2.1 Bi	-Wire Ultra-Wide Bandwidth 2002	Speaker		Black w/ sheathing	1, plus coupler	Coupler at source; Network at load	Silver metalli	9,495
ORASV1.1W Oracle V1.1 W	ide Bandwidth 2002	Speaker		Black w/ sheathing	1, plus coupler	Coupler at source; Network at load	Silver metalli	14,995
ORASV1.1EX Oracle V1.1 W	ide Bandwidth EX 2002	Speaker		Black w/ sheathing	1, plus coupler	Coupler at source; Network at load	Silver metalli	14,995
ORASV1.1UW Oracle V1.1 UI	tra-Wide Bandwidth 2002	Speaker		Black w/ sheathing	1, plus coupler	Coupler at source; Network at load	Silver metalli	14,995
ORASV1.1WBW Oracle V1.1 Bi	-Wire Wide Bandwidth 2002	Speaker		Black w/ sheathing	1, plus coupler	Coupler at source; Network at load	Silver metalli	15,495
ORASV1.1EXBW Oracle V1.1 Bi	-Wire Wide Bandwidth EX 2002	Speaker		Black w/ sheathing	1, plus coupler	Coupler at source; Network at load	Silver metalli	15,495
ORASV1.1UWBVOracle V1.1 Bi	-Wire Ultra-Wide Bandwidth 2002	Speaker		Black w/ sheathing	1, plus coupler	Coupler at source; Network at load	Silver metalli	15,495

SKU#	Full Name	Dates Sold	Interface Type	Comments \ Comparisons	Cable color/sheathing	No. of Network Boxes	Box Position(s)	Box Color I	mpedance Retail Price - 1 ı
Monster Cable	Interlink Reference Interlink Reference R	1982 1984	Component Interconnect Component Interconnect	Vari Lay and Quasi Balanced technology licensed to Monster Cable by Bruce Brisson. Versions still in use today(renamed Time Coherent by Monster Cable). The first phase coherent (for signal) design.					
Monster Cable Monster Cable	Interlink 4 Interlink Special	1984 1984	Component Interconnect Component Interconnect						
	MI-330	1984	Component Interconnect		non-networked	N/A			
	PC-Squared	1990	Component Interconnect	Non network inteconnect made by MIT, distributed by Transparent Marketing.	Grey or Black	non-networked	N/A	N/A	90
	MusicLink	1990	Component Interconnect	Non network inteconnect made by MIT, distributed by Transparent Marketing.					
				Enhanced high frequencies for use with tube equipment. Made by MIT, distributed by Transparent Marketing					
	Music Link E	1990	Component Interconnect	Tansparent Harketing		1			425 (1.5m)
				Vari Lay geometry, phase					
	MI-330	1984	Component Interconnect	coherent design. No network.		non-networked	N/A	N/A	
		1901					N/A	N/A	180
				Spectral branded version of the MI 330. No network.					
	Spectral 500	1984	Component Interconnect	MI 350. NO HELWORK.		non-networked	N/A	N/A	180
330SG	MI-330 Shotgun	1987	Component Interconnect			non-networked, doubled wire		,	
	MI-330E (Extended)	1988	Component Interconnect			Source end			375
				First networked interconnect with the Constant Velocity Terminator located in an extended RCA. Greatly improved noise floor, transient detail and clarity. Technology still in use in today's designs. Engineered by MIT, distributed by Transparent Marketing.					
330CPI	CVT Plus	1991	Component Interconnect						1300
330CPT	CVT + Terminator	1991	Component Interconnect						1800
330ECI 330EE	MI-330E (Extended) MI-330 Enhanced with CVT MI-330 Extended Plus	1988 1991 1991	Component Interconnect Component Interconnect Component Interconnect			1	Source end	??	375 705 475
				The reference of the time. Input terminator, output terminator, CVT, VariLay, Teflon, tellerium RCAs. Very large soundstage, bass extension for the time. Served as reference until 350 EVO. Best used in low to medium input impedances. If "Proline" is part of name, that is the balanced version. Single ended and balanced are different designs and are not modifiable to the other					
350R	MI-350 Reference CVTerminator	1995	Component Interconnect	form.	Beige	2	Ends	Beige	1,995

Sł	(U#	Full Name	Dates Sold	Interface Type	Comments\Comparisons	Cable color/sheathing	No. of Network Boxes	Box Position(s)	Box Color Impedance Retail	Price - 1 ı
					Similar layout to 350Ref, but less poles result in less focus and extension. Best used in low to medium input impedances. If "Proline" is part of name, that is a balanced version.					
35	отw	MI-350 Twin CVTerminator	1995	Component Interconnect	New top product. Stereo cable summed into one jacket between the input and output networks. Much lower noise floor as compared to previous products. Optimized for low input impedances. Extremely large soundstage. Were available in different input impedances. Designed with Spectral 360 monoblocks and	Beige	2	Ends	Beige	1,295
35	0SGE	MI-350 Shotgun EVO	1997	Component Interconnect	was part of the 2C3D package.		2			2,995
					Lacks input network so has less bass and low frequency focus as compared to above models. Has CVT and output terminator.					
35	OCT	MI-350 CVTerminator	1995	Component Interconnect	Designed to have more high frequency energy for tube or darker sounding systems. See 750 HE speaker cable. Can be used on any system as lift was subtle and still did not ring or add edginess.	Beige	1	Source End	Beige	995
33	OHE	MI-330 High Energy Terminator	1995	Component Interconnect	Basic 330 geometry with addition of CVT network for imprved detail and dynamics as compared to Terminator. Does	Beige	1	Source End	Beige	375
33	ЮТ	MI-330 Terminator			not haveoutput terminator.	Beige			Beige	195
					Designed for high input impedances of tube equipment. Can be used with solid state with high input impedance ie. 100kohms					
33	OTT	MI-330 Tube Terminator	1995	Component Interconnect	TOOKONINS	Beige	1	Source End	Beige	
33	0P	MI-330 Plus	1995	Component Interconnect	330 geometry, simple output network for improved bass and dynamics. Doesn't have CVT. Second time the "Shotgun" name was employed. CVT and additional networks for top of	Beige	1	Source End	Beige	
33	0SG	MI-330 Shotgun	1995	Component Interconnect	the 330 family. Better bass focus than others.	Grey Sheathing	1	Source End	Dark Grey	535

SKU#	Full Name	Dates Sold	Interface Type	Comments\Comparisons	Cable color/sheathing	No. of Network Boxes	Box Position(s)	Box Color	Impedance Retail Price - 1 I
				Output Terminator technology with simpler geometry and cable as compared to 330 family. Breakthrough performance of its time with excellent bass, dynamics and image focus. Very popular product line. Lacks detail as comapred to higher end classes.					
T2i	MITerminator 2i	1995	Component Interconnect	Less energy control as compared	Grey	1	Load End	Grey	130
T3i	MITerminator 3i	1995	Component Interconnect	to T2	Grey	1	Load End	Grey	90
				Less energy control with less focus and bass extension as compared to upper models.					
T4i	MITerminator 4i	1995	Component Interconnect		Grey	1	Load End	Grey	60
				Less energy control with less focus and bass extension as compared to upper models.					
T5i	MITerminator 5i	1995	Component Interconnect		Grey	1	Load End	Grey	40
330T	MI-330 Terminator	1996	Component Interconnect	Entry level 330 with basic output terminator. Better dynamics than Terminator series.		1	Load End		
				Improved cosmetics and cable materials for slightly cleaner sound vs. older T series. Differences in models have to do with energy control. See T series. Introduced the EERA system for performance ratings. T 2 had a rating of 16.3. Higher the					
HT2i	MITerminator 2	1997	Component Interconnect	better. EEAR rating of 8.8	Grey	1	Load End	Grey	130
HT3i	MITerminator 3	1997	Component Interconnect	EEAR rating of 7.9	Grey	1	Load End	Grey	90
HT4i	MITerminator 4	1997	Component Interconnect	EEAR rating of 6.0	Grey	1	Load End	Grey	60
HT5i	MITerminator 5	1997	Component Interconnect	-	Grey	1	Load End	Grey	40
HT6i	MITerminator 6	1997	Component Interconnect	Entry level Terminator with molded RCA. EEAR rating of 4.5	Grey	1	Load End	Grey	30
				Upgraded series with improved transient detail and focus. See first series for description					
330CTII	MI-330 CVTerminator II	1997	Component Interconnect		Grey	1	Long RCA at Sour	rc Grey	595
				Specialized version for certain distributors. Rare.					
330CTIIL	MI-330 CVTerminator II Limited			Upgraded series with improved transient detail and focus. See first series for description					800
330HEII	MI-330 High Energy Terminator Series II	1997	Component Interconnect		Beige	1	Long RCA at Sour	c Beige	350

SKU#	Full Name	Dates Sold	Interface Type	Comments\Comparisons Upgraded series with improved transient detail and focus. See first series for description	Cable color/sheathing	No. of Network Boxes	Box Position(s)) Box Color	Impedance Retail I	Price - 1 ı
330TTII	MI-330 Tube Terminator Series Two	1997	Component Interconnect	Upgraded series with improved transient detail and focus. See first series for description	Beige	1	Long RCA at Sou	rc Beige		350
330PII	MI-330 Plus Terminator Series Two	1997	Component Interconnect	Improved cosmetics and new network similar to 330	Beige	1	Long RCA at Sou	rc Beige		250
NT2i	MITerminator 2	1999	Component Interconnect	Terminator for improved detail vs older T an HT(WT) products. Uses the HT 2 network with	Grey with Grey Sheathing	1	Source End	Grey		200
NT3i	MITerminator 3	1999	Component Interconnect	improved cosmetics and older HT3 network	Grey with grey sheathing	1	Source End	Grey		160
NT4i	MITerminator 4	1999	Component Interconnect	Improved cosmetics and uses HT4 networks	Grey with Grey Sheathing	1	Source End	Grey		120
NT5i	MITerminator 5	1999	Component Interconnect	Improved cosmetics and uses HT5 networks	Grey	1	Source End	Grey		60
NT6i T55i T44i	MITerminator 6 T55 Audio Interconnect T44 Audio Interconnect	1999 1999 1999	Component Interconnect Audio Interconnect Audio Interconnect		Grey Grey Grey	1 1 module 1 module	Source End Center Center	Grey Grey Grey	60/pair 120/pair	40
				IC network for use in custom install. Female RCA on one side with short output tail. HT4 performance						
UT4i	Universal Terminator 4	1999	Interconnect for custom lengths	IC network for use in custom install. Female RCA on one side with short output tail. HT2 performance	Grey	1	End	Grey		60 pair
UT2i	Universal Terminator 2	1999	Interconnect for custom lengths	Udated for improved detail and transient response.	Grey	1	End	Grey		130 pair
350TWII	MI-350 Twin CVTerminator Series Two	1999	Component Interconnect	New Series that introduces the ISN system. Input Specific Networks are input impedance specific. See white paper #102 for complete description of		2				1,495
330S2	MI-330 Series Two	1999	Component Interconnect	technology and measurements. Takes the guess work out of the the matching of cables to components.	Grey with Grey Sheathing	1	Long RCA at Sou	rc Grey		299
				ISN series with CVT in RCA as for upgrade in low level detail as compared to S2. Input impedance specific.						
330PS3	MI-330 Plus S3 Series Three	1999	Component Interconnect	,	Grey with Grey Sheathing	1	Long RCA at Sou	rc Dark Grey		499

SKU#	Full Name	Dates Sold	Interface Type	Comments \ Comparisons	Cable color/sheathing	No. of Network Boxes	Box Position(s)	Box Color Impedance	Retail Price - 1 I
				CVT and networks based on 350 series for best dynamics and image focus. Input impedance specific. Also available as a Proline(balanced)					
330SGS	MI-330 Shotgun System	1999	Component Interconnect		Grey with Grey Sheathing	1	Long RCA at Sour	Grey	699
				New generation of IC based on Oracle design(see Oracle speaker cables). One network enclosure, ISN resulting in more open top end and detail than previous Ics. New Oracle 1,2,3.1 are refined					
3500RA	MI-350 Oracle	2001	Component Interconnect	verion of this product.	Black Sheathing	1	Long RCA at source		3,495 (1.5m)
WT2i	MITerminator 2	2001	Component Interconnect	International version of HT series	Grey with Grey sheathing	1	Load End	Grey	136
WT3i	MITerminator 3	2001	Component Interconnect	International version of HT series	Grey with Grey sheathing	1	Load End	Grey	95
WT4i	MITerminator 4	2001	Component Interconnect	International version of HT series	Grey with Grey Sheathing	1	Load End	Grey	63
WT5i	MITerminator 5	2001	Component Interconnect		Grey	1	Load End	Grey	42
ORAV3.1i	Oracle V3.1	2002	Component Interconnect		Grey with Sheathing	1	Source end	Silver metallic	1,995
ORAV2.1i	Oracle V2.1	2002	Component Interconnect		Grey with Sheathing	1	Source end	Silver metallic	2,995
ORAV1.1i	Oracle V1.1	2002	Component Interconnect		Grey with Sheathing	1	Source end	Silver metallic	4,495

MIT Digital Interconnects: 1992 - 2000

SKU#	Full Name	Dates Sold	Interface Type	Comments/Comparisons	Cable color/sheathing No. of Ne	twork Boxes	Box Position(s)	Box Color	Retail Price - 1 n
	Adjustable Dig Cable	1992?	Digital Component Interconnect	First networked SPDIF cable. 4 dip switches engaged steeper filter slopes for improved noise control. Tune to personal preference. Three patented networks, air dielectics. Networks eliminate jitter that may stem from less than ideal transient response from cable alone. Current product.	Black	1	Load End	White?	195
T3DIG	MITerminator 3 Digital	1995	Digital Component Interconnect	Economical implementation of patented digital network. Greatly lessened jitter stemming from cable alone. True balanced version of the	Black	1	Load End	Black	100
PD	Proline Digital Reference	1996	Digital Component Interconnect	DigR1 design. Essentially, two DigR1s back to pack. AESEBU interface. Improved flexibility and reliabilitly design is current. Air dielectric, 3 networks essentially eliminate jitter	Black	2	Each End	Black	695
DIGR	Digital Reference	1996	Digital Component Interconnect	that may be induced by cable's transient response. Current product. Great bass response and imaging Uses Solid Silver UPOCC center conductor with three shields. Better detail than	Black	1	Load End	Black	325
NT3DIG	MITerminator 3	1999	Digital Component Interconnect	T4 dig. Entry level, molded network in middle. Very low intrisic jitter on a double shielded, stranded center design.	Black	1	Load End	Black	150
CITDIG	TMax Digital	2000	Digital Component Interconnect	Uses UPOCC stranded center conductor with double shield	Grey	1	Center	Grey	50
NT4DIG	MITerminator 4	2000	Digital Component Interconnect	and patented digital network.	Black	1	Load End	Black	100

MIT Proline Interconnects: 1993 - 2002

SKU#	Full Name	Dates Sold	Interface Type	Comments\Comparisons	Cable color/sheathin No. of N	etwork Box	esBox Position(s)	Box Color	Impedance Retail Price
	PC-Squared	1993	Balanced	Basic nonnetworked balanced cable. Good dielectrics, simplified varilay geometry. Designed by MIT, distributed by Transparent Marketing True balanced cable design	Grey or Black				115
				with four conductor paths. CVT, output terminator networks. Very dynamic for its time.					
PFBT	Proline Terminator	1995	Balanced Component Interface	CVT coupler and single output network. True, 4	Black			Black	3900
PFBEII	Proline Extended II	1995	Balanced Component Interface	conductor balanced design. Terminator technology and CVT with simplerer cable design. Not as much detail as top two designs but still true balanced.	Black	2	Both Ends	Black	1250
T2P	MITerminator 2 Proline	1995	Balanced Component Interface	Terminator Technology and simplerer cable design. No CVT. True balanced geometry. Doesn't have the noise floor of other models	Black			Black	650
ТЗР	MITerminator 3 Proline	1995	Balanced Component Interface	house hoor of other models	Black	1	Source End	Black	295
TPRO	MITerminator Proline	1996	Balanced Component Interface	Unique balanced product intended to by used with two stereo amps. When used with 770 OPT speaker cable, doubled amp power and had tremendous bass and image focus. If amps where not perfectly matched, there could be problems. Call for advise.	Black	1			195
350PP	MI-350 CVTerminator OPT (Opposite Phase Terminator)	1997	Balanced Component Interface	See IC page for details. True balanced geometry with earth ground, case ground,	Black	3		Black	1,995
350PROR	MI-350 CVTerminator Proline Reference	1996	Balanced Component Interface	two positive legs. See IC page for details. True balanced geometry with earth ground, case ground, two positive legs.	Black	4		Black	3,495
350PROTW	MI-350 CVTerminator Proline Twin	1996	Balanced Component Interface	Updated from earlier versions. See Terminator 2 Proline	Black	2		Black	1,695
HTPRO	MITerminator Proline	1997	Balanced Component Interface	See IC section. True balanced designs as well as	Black	1	Source End	Black	195
350PROR	MI-350 CVTerminator Proline Reference	1997	Balanced Component Interconnect	double the networks.	Black	4		Black	3,495

MIT Proline Interconnects: 1993 - 2002

SKU#	Full Name	Dates Sold	Interface Type	Comments \ Comparisons	Cable color/sheathin No. of Ne	twork Boxes	Box Position(s)	Box Color Im	pedance Retail Price
				330 balanced geometry with CVT and output network. Not impedance specific.					
330 PRO	MI-330 Proline Balanced	1997	Balanced Component Interconnect	F	Black	1	Source End	Black	495
				Used double networks and true balanced geometry from Nt series of Terminator					
NTPRO	MITerminator Proline	1999	Balanced Component Interconnect	Input Specific Networks. Matched to input impedances. Much better detail and extension as comared to the earlier prolines. Very popular and well reveiwed.	Black	1	Source End	Black	300
330PROSGS	MI-330 Shotgun Proline	1999	Balanced Component Interconnect		Black	1	Source End	Black	849
				See IC section. True balanced designs as well as double the networks.					
350PROSGE WTPRO	MI-350 Proline Shotgun EVO MITerminator	1999 2000	Balanced Component Interface Balanced Component Interface		Black	3	Source End	Black	3,995 (1.5m) 261
WIFKO		2000	balanced component interface	Balance vs of 350 Oracle. True balanced geometries and double networks. Input Specific Network design so match to input impedance.	DIGLK		Source Life	Diack	201
	MI-350 Oracle Balanced O Oracle V3.1 Proline Balanced	2001 2002	Balanced Component Interconnect Balanced Component Interconnect		Black Grey with Sheathing	1 1	Source End Source End	Black Silver metallic	4,495 (1.5m) 2,495
010103.111		2002		Balance vs of 350 Oracle. True balanced geometries and double networks. Input Specific Network design so match to input impedance.		1		Siver metallie	2,435
ORAV2.1PR0	O Oracle V2.1 Proline Balanced	2002	Balanced Component Interconnect		Grey with Sheathing	1	Source End	Silver metallic	3,495
				Balance vs of 350 Oracle. True balanced geometries and double networks. Input Specific Network design so match to input impedance.					
ORAV1.1PR0	O Oracle V1.1 Proline Balanced	2002	Balanced Component Interconnect		Grey with Sheathing	1	Source End	Silver metallic	5,495

MIT Video-Optical: 1995 - 2000 * No Longer Supported

SKU#	Full Name	Dates Sold	Interface Type	Comments\Comparison	Cable color/sheathin No. of Network	Boxe: Box Position	(s) Box Color	Retail Price - 1 n
RES	RES-LinQ [°] Enhancer″	1995	Composite Video interface	Patented network that compensates for drooping fequency response of RCA video output. Enhanced color saturation, lowered noise in picture. Use only one in system	Black	0 N/A	N/A	80
NES .		1555		Different corrective slope as compared to standard enhancer because of LDs greater frequency range vs. tape. Use only one in system.	Lick			
RESLD	RES-LinQ Laser Disc "Enhancer"	1995	LD Video interface	Ground isolator for eliminating ground loop "hum". Also helped eliminate rolling video bars in certain situations.	Black	0 N/A	N/A	80
ISO	ISO-LinQ "Groundbreaker"	1995	Video F-Pin interface	Standard composite video cable using 2 braid/1 foil shield and stranded	Black	1 Load End	Black	90
VID	V-LinQ	1995	Composite Video interface	center conductor	Black	0 N/A	N/A	25
SVID	S-LinQ S-Video	1995	S-Video Interface	Used OCC center conductors with double shielding.	Grey	0 N/A	N/A	50
				Patented network that compensates for drooping fequency response of S connector video output. Enhanced color saturation, lowered noise in picture.				
SRES	S-Res-linQ "Enhancer"	1996	S-Video Interface	Use only one in system F pin version of the Vlinq product	Black	1 Source End	Black	100
VID-F	V-LinQ F to F	1996	Composite Video interface	3 cables for component output of DVD players.	Black	0 N/A	N/A	25
HDVD	DVD-LinQ	1997	Video component interface	Based on Vling	Black	0 N/A	N/A	75
HISO	ISO-LinQ "Groundbreaker"	1999	Video F-Pin interface		Black	1	Black	90
HSRES	S-RES-LinQ "Enhancer"	1999	S-Video Interface		Black	1	Black	100

MIT Video-Optical: 1995 - 2000 * No Longer Supported

SKU#	Full Name	Dates Sold	Interface Type	Comments\Comparison	Cable color/sheathin No. of Network E	Boxe: Box Position(s) Box Color	Retail Price - 1 n
HVID	V-LinQ RCA to RCA	1999	Video Interface		Black	0 N/A	N/A	25
HVID-F	V-LinQ F to F	1999	Composite Video interface		Black	0 N/A	N/A	25
HSVID	S-LinQ	1999	S-Video Interface		Black	0 N/A	N/A	50
				Simple Toslink cable with brass ferrule and polished ends.				
HTOS	Fiber Optic Audio Interconnect	1999	Fiber Optic Audio Interconnect		Black	0 N/A	N/A	40
				F pin version of the Vlinq product				
HVID-F	V-LinQ F to F	1999	Composite Video interface		Black	0 N/A	N/A	25
				Modular S connector system for use with Onewire. Create S cables up to 500 ft using two runs of coax. Current product				
HSYS	S-Video Connector System	2000	S-Video Y connector module	P	Grey	1 End	Grey	90
HDVD	DVD-LinQ	2000	Component Video Interconnect		Black	0 N/A	N/A	78

MIT Z Rack Mount Systems: 1995 - 1997 * No Longer Supported

SKU#	Full Name	Dates Sold	Comments\Comparisons	Rating	Enclosure color	Retail Price
ZS	Z-Stabilizer Mark II	1995	Patented parallel, multiple pole tuned AC stabilizer. Did not limit current and dealt with common mode, differential mode noise as well as improved power factor. New versions of circuit in use today. Designed to sit on floor		Brushed aluminum	
ZISO	Z-Isostrip	1995	Designed to eliminate intracomponent noise. Isolated digital noise from analogue section. Deigned to sit on floor.	1800 watts/15 Amp	Brushed aluminum	
ZCTR	Z Center	1995	Combined Stabilizer and Iso Strip as a "complete" system AC processor. Designed for floor standing.			
			Rack mountable AC processor that combined relay turn on outlets, Z Stabilizer, Z Iso Strip, Video Filter board. 10 outlets: 2 Digital, 6 analogue, 2 amp. Came with Zcord II			
ZCONTROLII	Z-Controller	1997	Combined Stabilizer II curcuit, Iso Strip II in a component sized product. Very popular, whole system AC processor. 2 amp, 6 analogue, 2 digital outlets. Came with Z cord power cable		Black only	2,495
ZCTRII	Z Center	1997	Patented parallel, multiple tuned pole AC stabilizer. Did not limit current and dealt with common mode, differential mode noise as well as improved power factor. New versions of circuit in use today. Series II improved amount of power factor correction and improved components.		Brushed Aluminum	1,495
ZSII	Z-Stabilizer Mark II	1997	improved components.		Brushed aluminum	995

MIT Z Rack Mount Systems: 1995 - 1997

SKU# Full Name Dates Sold Comments \Comparisons Rating Enclosure color **Retail Price** Doubled up digital isolation banks. Iso circuit uses two parallel transformers. 130 watt capacity for each bank 1997 ZDUOII Z-Iso-Duo Brushed Aluminum 1,495 High power (500 watt) version of the Iso bank circuit. Other bank was filtered for amps. High power (500 watt) version of the Iso bank circuit. Other bank was filtered for amps. ZIHCII Z-Isolator-HC II 1997 500 Watt Brushed Aluminum Similar to Z Center without Stabilizer circuit. Typically used at source and preamp with a separate Stabilizer. ZISOII 1997 1800 watts/15 Amp Brushed aluminum 1,095 Z-Isostrip

MIT Z-Series: 1995 - 2001

SKU#	Full Name	Dates Sold	Interface Type	Comments \ Comparisons	Cable color/sheathing	No. of Network Boxes	Box Position(s)	Box Color	Retail Price
				Foil and braided shield, 14 gauge OFC cable with Ferrite filtering starting at 500Khz. Still current					
Zcord	Z Cord Power Cord	1995	Power cord	Foil and braid shield, 14 gauge OFC cable with staggered ferrites for filter point at 100khz. Designed for digital	Black	2 Ferrites	One each end	Black	100 (2 m only)
Zcord2)	Z Cord II Power Cord	1995	Power cord	components	Black	2	One each end	Black	175 (2 m)
Zcord (lengt	h) Z Cord II Power Cord	1997	Power cord	Foil and braid shield, 14 gauge OFC cable with staggered ferrites for filter point at 100khz. Designed for digital components Hand wound cable combining solid silver clad centers with silver/teflon stranded cable and full shield. Uses 2 poles of Stabilizer circuit in parallel on the cable for improved noise control, power factor.	Black	2	One each end	Black	
ZAC1	Z-Cord ACI	2001	AC Cord Power Filter	See above for cable detail. Added full complement of tuned poles from Stabilizer circuit.	Black	1	Middle	Black	1,495 (2 m)
ZACII	Z-Cord ACII	2001	AC Cord Power Filter	See above for cable details. Unique version of Stabilizer circuit optimized for high frequency power supplies found in video displays.	Black	2	Middle	Black	2,895 (2 m)
ZACV	Z-Cord ACV	2001	AC Cord Power Filter-Vid		Black	1	Middle	Black	2,195 (2 m)

MIT Phono Interconnects: 1996 - 1999 * No Longer Supported SKU# Full Name Dates Sold Interface Type Comments\Comparisons Cable color/sheathin: No. of Network Boxe Box Position(s) Box Color Retail Price - 1 Reference phono cable with input terminator, output terminator and CVT with separate ground path for chassis ground. Based on 350CPR MI-350 Phono Reference CVTerminator 1996 350 Reference ICs 1 Load End 2,495 Phono Interconnect Optimized for phono use and based on 330 Terminator. Separate ground path. 330PH MI-330 Phono Terminator 1997 Phono Interconnect Grey 1 Load End Grey 499 350PHR MI-350 Phono Reference CVTerminator 1999 Phono Interconnect 2 Source end; Load end 2,495

MIT Custom Install: 1999 - 2001

SKU#	Full Name	Dates Sold	Interface Type	Comments\Comparisons	Cable color/sheathing No	o. of Network Bo	Box Position(s)	Box Color	Retail	Price per 5 ft.
				IC network for use in custom install. Female RCA on one side with short output tail. HT4 performance						
UT4i	Universal Terminator 4	1999	Interconnect for custom lengths	IC network for use in custom install. Female RCA on one side with short output tail. HT2 performance	Grey	1	End	Grey		60 pair
UT2i	Universal Terminator 2	1999	Interconnect for custom lengths		Grey	1	End	Grey		130 pair
CI TMXSTD	Tmax Speaker Module	2000	Speaker Interface Module	Onewire speaker network for turning coax into speaker cable. Multiple poles of articulation and excellent performance.	N/A	1		Grey	50 (set 4)	N/A
				More poles for better bas response as compared to standard.						
CI TMXSPR	Tmax Super Speaker Module	2000	Speaker Interface Module		N/A	1		Grey	80 (set 4)	N/A
T55S T44S	T55 Speaker Modules T44 Speaker Modules	2000 2000	Speaker Speaker		N/A N/A		Installed at load end Installed at load end		120/pair 160/pair	
				Twisted pr, double shielded non networked IC.						
CI OWJRSi	OneWire Junior RCA	2000	Interconnect	Networked coaxial interconnect with better image focus then Jr.	Grey	0	N/a	N/a	3)
CI TMXi	Tmax Interconnect	2000	Interconnect	Networked Onewire adaptor for turning coax into good sounding low level Ics.	Grey	1	Middle	Grey	4)
CI TMXFRC	A Tmax Interconnect Module	2000	Interconnect-F-Pin	Modular S connector system for use with Onewire. Create S cables up to 500 ft using two runs of coax. Current product	Grey	1	End	Grey	70 (set of 4) N/A
HSYS	S-Video Connector System	2000	S-Video Y connector module		Grey		End	Grey	9	0
HTYCON	Terminator Y Connector	2000	RCA Y connector	Silver clad version of Tmax IC for a bit better detail.	Grey	40				
CI TMXSi	Tmax Silver	2001	Interconnect	IC IVI A DIL DELLEI UELAII.	Silver Grey	1	Middle	Grey	6	0
				Preterminated Onewire coax for use with Tmax speaker modules.						
CI OWJRS	Pre-terminated OneWire	2001	F to F cable	speaker mounes.	Black	0	N/A	N/A	20 (10 ft. p	air)

MIT Music Instrument: 2001

SKU#	Full Name	Dates Sold	Interface Type	Comments \Comparisons	Cable color/sheathing	No. of Network Boxe	Box Position	Box Color	Retail
MI-HWSTD MI-HWXL	Hardwire Standard Hardwire XL	2001 2001	Instrument cable Instrument cable with extended bass	Network in connector housing Network in connector housing	Black Black	N/A N/A	N/A N/A		\$65/10 feet \$75/10 feet
MI-HWS	Hardwire Speaker	2001	Amp to Speaker Interface	Network in connector housing Reference level network	Black	N/A	N/A		\$80/ .5 meter
MI-HWSPRO	Hardwire Pro Speaker	2001	Amp to Speaker Interface	technology: deeper, tighter bass; clearer mids & highs, etc.	Black	1		Black	\$150/ .5 meter
MI-HWP	Hardwire Patch Cord	2001	Amp to effects/pedals	General purpose patch cord	Black	N/A	N/A	N/A	\$26/ 9 inch
PA-ZCORD	Z-Cord II	2001	Filtered Power Cord	See Z Cord II under Z Series	Black	2	Both ends	Black	\$175/ 2 meter

MIT Y Connectors: 2000 - 2001

SKU#	Full Name	Dates Sold	Interface Type	Comments\Comparisons	Cable color/sheat	thin Retail Price
				Standard female RCA/2 male RCA with twisted pr construction		
RCAY	Audio Y Connector	2000	RCA Type		Grey	25
				Uses same geometry and materials as many Oracle		
				and 350 cables and		
				maintains true balanced		
350PROY	Y Connector, Balanced	2000	Balanced Proline		Black	190
HTYCON	Terminator Y Connector	2000	RCA Y connector		Grey	40
				330 balanced version for use with High End cables		
330PROY	Y Connector, Balanced	2001	Balanced Proline		Black	250

						Number of					
<u>SKU</u>	Full Name	Date Sold	Date Obsolete <u>C</u>	omments / Description	Cable Color	Network Boxes	Box Position(s)	Box Color	Retail - 8ft	Catalog year	Date Product Obsole
AVTS1/AVT1BW	Avt 1 Single and Bi-Wire			performance of just cable	black with gold		1 Speaker end	black	\$599/\$699		8/31/2019
AVTS2/AVT2BW	AVt 2 Single and Bi-Wire			performance of just cable	black with green		1 Speaker end	black	\$499/\$599		8/31/2019
AVTS3/AVT3BW	AVt 3 Single and Bi-Wire		2007 8x/10x p	performance of just cable	black with purple		1 Speaker end	black	\$349/\$459		
											8/31/2019
SG1/SG1BW	Shotgun 1 Single and Bi-Wire			performance or just cable	black		1 speaker end	black	\$1699/\$1999		8/31/2019
SG2S/SG2BW	Shotgun 2 Single and Bi-Wire			performance of just cable	black		1 speaker end	black	\$1399/\$1699		8/31/2019
SG3/SG3BW	Shotgun3 Single and Bi-Wire		2007 6x/12x p	performance of just cable	black		1 speaker end	black	\$1199/\$1399		8/31/2019
MG1S/MG1B	Magnum 1 Single and Bi-Wire		2007 24x/28x	performance of just cable	black		1 speaker end	black	\$4499/\$4999		8/31/2019
MG2S/MG2BW	Magnum 2 Single and Bi-Wire			performance of just cable	black		1 speaker end	black	\$3499/\$3999		8/31/2019
MG3S/MG3BW	Magnum 3 Single and Bi-Wire			performance of just cable	black		1 speaker end	black	\$2499/\$2999		8/31/2019
			2007 200, 270						φ2 1337 φ2333		0,01,2010
AVTSMA/AVTBWMA	AVt MA Single and Bi-Wire	2008	26x/28x	performance of just cable	black		1 Speaker end	black	\$2295/\$2995		8/31/2019
SGSMA/SGBWMA	Shotgun MA Single and Bi-Wire	2008	32x/35x	performance of just cable	black		1 speaker end	black	\$3995/\$4495		8/31/2019
MGSMA/MGBWMA	Magnum MA Single and Bi-Wire	2008	43x/47x	performance of just cable	black		1 speaker end	black w/ silver metal shoe	\$7995/\$8995		8/31/2019
ORASMA/ORABW	Oracle MA Single and Bi-Wire	2008	71x/75x	performance of just cable	black		1 speaker end	meal	\$24900/\$26900		8/31/2019
SG1.3S/SG1.3BW	Shotgun S1.3 Single and Bi-Wire	2010		the performance of just Cable	Black		1 Speaker end	Black	\$2499/\$2799		8/31/2019
SG1.5S/SG1.5BW	Shotgun S1.5 Single and Bi-Wire	2014	28/30 p	oles of articulation	Black		1 Speaker end	Black	\$4199/\$4599		8/31/2019
SG2.3S/SG2.3BW	Shotgun S2.3 Single and Bi-Wire	2010	2013 23x/24x	the performance of just Cable	Black		1 Speaker end	Black	\$1999/\$2299		8/31/2019
SG2.5S/SG2.5BW	Shotgun S2.5 Single and Bi-Wire	2014		oles of articulation	Black		1 Speaker end	Black	\$2699/\$3199		8/31/2019
									+		-,,
SG3.3S/SG3.3BW	Shotgun S3.3 Single and Bi-Wire	2010	2013 20x/21x	the performance of just Cable	Black		1 Speaker end	Black	\$1499/\$1799		8/31/2019
SG3.5S/SG3.5BW	Shotgun S3.5 Single and Bi-Wire	2014	. 12/14 p	oles of articulation	Black		1 Speaker end	Black	\$1799/\$2199		8/31/2019
M1.3S/M1.3BW	Magnum M1.3 Single and Bi-Wire	2010		the performance of just Cable	Black		1 Speaker end	Black	\$6499/\$6999		8/31/2019
M1.5S/M1.5BW	Magnum M1.5 Single and Bi-Wire	2014	90(sd) &	115 (hd)/94(sd) & 119(hd) poles	Black		1 Speaker end	Black w/ silver metal shoe	\$15999/\$16999		8/31/2019
M2.3S/M2.3BW	Magnum M2.3 Single and Bi-Wire	2010	2013 40x/41x	the performance of just Cable	Black		1 Speaker end	Black	\$4999/\$5499		8/31/2019
M2.5S/M2.5BW	Magnum M2.5 Single and Bi-Wire	2014		oles of articulation	Black		1 Speaker end	Black	\$9999/\$10399		8/31/2019
			00/01 P						+		-,,
M3.3S/M3.3BW	Magnum M3.3 Single and Bi-Wire	2010	2013 30x/31x	the performance of just Cable	Black		1 Speaker end	Black	\$3499/\$3999		8/31/2019
M3.5S/M3.5BW	Magnum M3.5 Single and Bi-Wire	2014	. 38/40 pe	oles of articulation	Black		1 Speaker end	Black	\$5699/\$6199		8/31/2019
			2006 42 44		Disal		1. Canada and				0/01/0010
ORASV1.10RASV1.1BW	Oracle V1.1 Single and Bi-Wire	2007		performance of just cable	Black		1 Speaker end	Silver metal	\$15995/\$16995		8/31/2019
ORASV1.20RASV1.2BW	Oracle V1.2 Single and Bi-Wire	2007	· · ·	oles of articulation	Black		1 Speaker end	Silver metal	\$19995/\$21995		8/31/2019
ORASV1.3ORASV1.3BW	Oracle V1.3 Single and Bi-Wire	2010		oles of articulation	Black		1 Speaker end	Silver metal	\$26999/\$29999		8/31/2019
ORASV1.5ORASV1.5BW	Oracle V1.5 Single and Bi-Wire	2014	84(50) 8	109(hd)/85(sd) & 110(hd) poles	Black		1 Speaker end	Silver metal	\$51999/\$53999		8/31/2019
ORASV2.1/ORASV1.1BW	Oracle V2.1 Single and Bi-Wire		2006 43X/44X	performance of just cable	Black		1 Speaker end	Silver metal	\$9495/\$9995		8/31/2019
ORASV2.2/ORASV1.2BW	Oracle V2.2 Single and Bi-Wire	2007		oles of acticulation	Black		1 Speaker end	Silver metal	\$12995/\$13450		8/31/2019
ORASV2.3/ORASV1.3BW	Oracle V2.3 Single and Bi-Wire	2010		oles of articulation	Black		1 Speaker end	Silver metal	\$17999/\$20999		8/31/2019
ORASV2.5/ORASV1.5BW	Oracle V2.5 Single and Bi-Wire	2014	•	.99(hd)/75(sd) & 100(hd) poles	Black		1 Speaker end	Silver metal	\$41999/\$43999		8/31/2019
ORASV3.1/ORASV1.1BW	Oracle V3.1 Single and Bi-Wire			performance of just cable	Black		1 Speaker end	Silver metal	\$5495/\$5995		8/31/2019
ORASV3.2/ORASV1.2BW	Oracle V3.2 Single and Bi-Wire	2007	· · ·	oles of articulation	Black		1 Speaker end	Silver metal	\$7995/\$9995		8/31/2019
ORASV3.3/ORASV1.3BW	Oracle V3.3 Single and Bi-Wire	2010		oles of articulation	Black		1 Speaker end	Silver metal	\$9999/\$12999		8/31/2019
ORASV3.5/ORASV1.5BW	Oracle V3.5 Single and Bi-Wire	2014	. 70(sd) &	.95(hd)/71(sd) & 96(hd) poles	Black		1 Speaker end	Silver metal	\$31999/\$33999		8/31/2019
CVTS1/SVTBW1	CVTTerminator 1	2008	20x/21x	performance of just cable	black		1 speaker end	black	\$1499/\$1699		8/31/2019
CVTS2/CVTBW2	CVTTerminator 2	2008		performance of just cable	black		1 speaker end	black	\$999/\$1299		8/31/2019
·											8/31/2019
SL5S	Styleline 5	2013	5 poles of	of articulation	Black		1 Speaker end	black	\$499		8/31/2019
SL9S	Styleline 9	2013	9 poles of	of articulation	Black		1 Speaker end	black	\$799		8/31/2019
SL12S	Styleline 12	2013	12 poles	of aticulation	Black		2 Center and Speaker end	black	\$1,199		8/31/2019

duct Obsoleted 31/2019

						Number of			
<u>SKU</u>	<u>Full Name</u>	Date Sold	Date Obsolete	Comments / Description	Cable Color	<u>Network</u> <u>Boxes</u>	<u>Box Position(s)</u>	<u>Box Color</u>	<u>Retail - 1m</u>
VTI1	AVt 1 Audio Interconnect		2007	ANALOG 5x performance of just cable	black with gold		1 output side	black	\$229.95
/TI2	AVt 2 Audio Interconnect			Ix performance of Just cable	black with green		1 output side	black	\$169.95
TI3	AVt 3 Audio Interconnect			Bx performance of just cable	black with purple		1 output side	black	\$99.95
TPRO	AVt Proline interconnect		2007 8	Bx performance of just cable	black		1 output side	Black	\$544.00
LI/SG1PRO	Shotgun 1 RCA & XLR (Proline) Interconnect		2007	.0x/20x performance of just cable	black		1 output side	black	\$1099/\$1399
2I/SGPRO	Shotgun 2 RCA & XLR (Proline) Interconnect		2007	/x/14x performance of just cable	black		1 output side	black	\$749/\$949
3I/SG3PRO	Shotgun 3 RCA & XLR (Proline) Interconnect		2007 -	x/8x performance of just cable	black		1 output side	black	\$549/\$799
51I/MG1PRO	Magnum 1 RCA & XLR (Proline) Interconnect		2007	.6x/32x performance of just cable	black		1 output side	black	\$1999/\$2499
32I/MG2PRO	Magnum 2 RCA & XLR (Proline) Interconnect		2007	4x/28x performance of just cable	black		1 output side	black	\$1699/\$2199
3I/MG3PRO	Magnum 3 RCA & XLR (Proline) Interconnect		2007	2x/24x performance of just cable	black		1 output side	black	\$1399/\$1699
IMAIC/AVTMAPRO	AVt MA RCA & XLR (Proline) Interconnect	2008	:	2x/19x performance of just cable	black		1 output end	Black	\$899/\$1499
MAIC/SG1MAPRO	Shotgun MA RCA & XLR (Proline) Interconnect	2008	:	2x/25x performance of just cable	black		1 output end	Black	\$1499/\$1799
IAIC/M1MAPRO	Magnum MA RCA & XLR (Proline) Interconnect	2008		36x/39x performance of just cable	black		1 output end	Black	\$2499/\$2995
V1.1MA-X	Oracle V1.1 MA-X RCA & XLR (Proline) Interconnect	2008		58x/71x performance of just cable	black		1 output end	Silver metal	\$7995/\$8495
.3S/SG1.3BW	Shotgun S1.3 RCA & XLR (Proline) Interconnects		2013	2x/14x performance of just cable	black		1 output end	black	\$1499/\$1699
.5I/SG1.5XLR	Shotgun S1.5 RCA & XLR (Proline) Interconnects	2014	:	2/13 poles of articulation	black		1 output end	black	\$1499/\$1799
.3I/SG2.3PRO	Shotgun S2.3 RCA & XLR (Proline) Interconnects		2013 9	0x/11x performance of just cable	black		1 output end	black	\$1099/\$1299
.5I/SG2.5XLR	Shotgun S2.5 RCA & XLR (Proline) Interconnects	2014		6/7 poles of articulation	black		1 output end	black	\$999//\$1299
.3I/SG3.3PRO	Shotgun S3.3 RCA & XLR (Proline) Interconnects		2013	5x/8x performance of just cable	black		1 output end	black	\$799/\$999
3.5I/SG3.5XLR	Shotgun S3.5 RCA & XLR (Proline) Interconnects	2014		B/4 poles of articulation	black		1 output rca barrel	n/a	\$499/\$699
1.3I/MG1XLR	Magnum M1.3 RCA & XLR (Proline) Interconnects		2013	.8x/20x performance of just cable	black		1 output end	black	\$2999/\$3299
1.5I/MG1.5XLR	Magnum M1.5 RCA & XLR (Proline) Interconnects	2014		50/51 poles of articulation	black		1 output end	black	\$6999/\$7999
2.3I/MG2.3PRO	Magnum M2.3 RCA & XLR (Proline) Interconnects		2013	.6x/18x performance of just cable	black		1 output end	black	\$2499/\$2799
52.5I/MG2.5XLR	Magnum M2.5 RCA & XLR (Proline) Interconnects	2014		36/37 poles of articulation	black		1 output end	black	\$4999/\$5499
3.3I/MG3.3PRO	Magnum M3.3 RCA & XLR (Proline) Interconnects		2013	4x/16x performance of just cable	black		1 output end	black	\$1999/\$2299
3.51/MG3.5XLR	Magnum M3.5 RCA & XLR (Proline) Interconnects	2014		23/24 poles of articulation	black		1 output end	black	\$2999/\$3499
V1.1I/ORAV3.1PRO	Oracle V1.1 RCA & XLR (Proline) Interconnects			32x/64x performance of just cable	black		1 output end	silver	\$4995/\$5995
V1.2I/ORAV3.2PRO	Oracle V1.2 RCA & XLR (Proline) Interconnects		2006		black		1 output end	silver	not in QB
V1.3I/ORAV3.3PRO	Oracle V1.3 RCA & XLR (Proline) Interconnects	2007		36x/38x perfomance of Just cable	black		1 output end	silver	\$7499/\$8999
V1.5I/ORAV3.5XLR	Oracle V1.5 RCA & XLR (Proline) Interconnects	2014		95/98 poles of articulation w/ Articulation Selector	black		1 V-Configuration	silver	\$11999/\$13999
V2.1I/ORAV3.1PRO	Oracle V2.1 RCA & XLR (Proline) Interconnects			23x/46x performance of just cable	black		1 output end	silver	\$2995/\$3695
V2.2I/ORAV3.2PRO	Oracle V2.2 RCA & XLR (Proline) Interconnects		2006		black		1 output end	silver	not in QB
V2.3I/ORAV3.3PRO	Oracle V2.3 RCA & XLR (Proline) Interconnects	2007	2013 3	32x/34x perfomance of Just cable	black		1 output end	silver	\$5499/\$6499
V2.5I/ORAV3.5XLR	Oracle V2.5 RCA & XLR (Proline) Interconnects	2014		9/62 poles of articulation w/ Articulation Selector	black		1 V-Configuration	silver	\$10999/\$12999
V3.1I/ORAV3.1PRO	Oracle V3.1 RCA & XLR (Proline) Interconnects			.6x/32x performanceof just cable	black		1 output end	silver	\$2495/\$2995
V3.2I/ORAV3.2PRO	Oracle V3.2 RCA & XLR (Proline) Interconnects		2006		black		1 output end	silver	not in QB
V3.3I/ORAV3.3PRO	Oracle V3.3 RCA & XLR (Proline) Interconnects	2007	2013 2	20x/22x perfomance of Just cable	black		1 output end	silver	\$3999/\$4999
V3.5I/ORAV3.5PRO	Oracle V3.5 RCA & XLR (Proline) Interconnects	2014		59/62 poles of articulation w/ Articulation Selector	black		1 V-Configuration	silver	\$9999/\$11999
1IC/CVT1PRO	CVTTerminator 1 Interconnect/Proline Interconnect	2008		2x/14x performance of just cable	black		1 Output End		1 \$699/\$999
2IC/CVT2PRO	CVTTerminator 2 Interconnect/Proline Interconnect	2008		8x/9x perfomance of Just cable	black		1 Output End		1 \$499/\$699
SL3XLR	Styleline 3 RCA & XLR Interconnect	2013		8/4 poles of articulation	Black		0 n/a	n/a	\$199/\$299
SL6XLR	Styleline 6 RCA & XLR Interconnect	2013		5/7 Poles of articulation	Black		0 n/a	n/a	\$299/\$599
SL8XLR	Styleline 9 RCA & XLR Interconnect	2013		8/9poles of articulation	Black		1 center	b;acl	\$499/\$799
)P1	AVt1 Optical			Digital n/a	blue		0 n/a	n/a	\$99
OP2	AVt2 Optical			n/a	blue		0 n/a	n/a	\$79
OP3	AVt3 Optical			n/a	black w/ blue		0 n/a	n/a	\$59
D1	AVt1 digital interconnect			n/a	silver		0 n/a	n/a	\$349.00
D2	AVt2 digital interconnect			n/a	silver		0 n/a	n/a	\$229.00
03	AVt3 digital interconnect			n/a	silver		0 n/a	n/a	\$129.00
	Shotgun Digital Interconnect			Network is a part of the RCA connectors	black		0 n/a	n/a	\$799
	Magnum Digital Interconnect			n/a	black		1 output end	black	\$1,199
	MIT Proline Digital Reference			n/a	black		1 output end	black	\$1,499
DMA D-X-MAP	Oracle Digital MA Interconnect Oracle 2C3D AES/EBU Digital Interconnect	2014		A.A.R.M.	Black black		1 center 1 center	silver metal silver metal	\$3,495 \$4,499
JSB JSBP	Styleline USB Styleline USB Plus	2014 2014			black black		0 n/a 0 n/a	n/a n/a	\$79 \$149
MTRXUSB	Styleline Matrix USB	2014			black		2 Input & Output ends	black	\$499
				Phono					
HONO	Exp Phono interconnect			Bx performancve of just cable	black		0 n/a	n/a	\$499
HONO	AVt Phono interconnect			x performance of just cable	black		0 n/a	n/a	\$599
IDIO-PHONO	Studio Phono interconnect			3X performance of just cable	black		2 input & output	black	\$899

Date Product Obsoleted

8/31/2019 8/31/2019 8/31/2019 8/31/2019 8/31/2019 8/31/2019 8/31/2019

8/31/2019 8/31/2019 8/31/2019 8/31/2019

8/31/2019 8/31/2019 8/31/2019

8/31/2019 8/31/2019

8/31/2019 8/31/2019

8/31/2019 8/31/2019

8/31/2019 8/31/2019

8/31/2019 8/31/2019

8/31/2019 8/31/2019

8/31/2019 8/31/2019 8/31/2019 8/31/2019

8/31/2019 8/31/2019 8/31/2019 8/31/2019

8/31/2019 8/31/2019 8/31/2019 8/31/2019

8/31/2019 8/31/2019

8/31/2019 8/31/2019 8/31/2019

8/31/2019 8/31/2019 8/31/2019

8/31/2019 8/31/2019 8/31/2019 8/31/2019 8/31/2019 8/31/2019 8/31/2019 8/31/2019

8/31/2019 8/31/2019 8/31/2019

8/31/2019 8/31/2019 8/31/2019

		Number of									
					<u>Network</u>						
Full Name	Date Sold	Date Obsolete	Comments / Description	Cable Color	Boxes	Box Position(s)	Box Color	<u>Retail - 1m</u>	Catalog year		
Shotgun Phono interconnect			10x performance of just cable	black	1	output end	black	\$1,995			
Magnum Phono interconnect			25x performance of just cable	black	1	output end	black	\$2,995			
Oracle V1.1 Phono interconnect			59x performance of just cabke	black	1	output end	gray	\$5,499			
Oracle v1.2 Phono Interconnect	2007		59x performance of just cabke	black	1	Output end	siver metal	\$5,499			
Oracle V1.5 Phono Interconnect	2014		65 poles of articulation	black	1	Output end	siver metal	\$7,499			

<u>SKU</u>

SGS1PHONO M1PHONO ORA1.1PHONO ORAV1.2PHONI ORA1.5PHONO

Date Product Obsoleted

8/31/2019 8/31/2019 8/31/2019 8/31/2019 8/31/2019

<u>SKU</u>	Date First Sold	Date Last Sold	<u>Catalog Year</u>		<u>MSRI</u>
	2000	2002		??	
	1997	2002		??	
CI-ZSII-IW-XX	2009	2015 20)12 catalog	\$	
Z-STRIP	1997	2015 20)12 catalog	\$	
SGAC1-XX	2007	2018 20	010 online catalog	\$	
SGAC2-XX	2007	2018 20	010 online catalog	\$	
MAGAC1-XX	2007	2017 20	010 online catalog	\$	
MAGAC2-XX	2007	2018 20	010 online catalog	\$	
AC1-XX	2002	2018 20	010 online catalog	\$	
AC2-XX	2002	2018 20	010 online catalog	\$	
SGZIII-XX	2007	2018 20	012 catalog	\$	
MAGZIII-XXX	2007	2018 20)12 catalog	\$	
ZCORD3-XX	2002	2018 20	012 catalog	\$	
POWERBAR	2008	2019 20)12 catalog	\$	
SGZTRAP	2010	2018 20)12 catalog	\$	
MAGZTRAP	2010	2019 20	012 catalog	\$	
ZPOD		20	014 Catalog	\$	

RP Prices

Date Product Obsoleted

799.00 1,799.00 1,599.00 1,499.00 2,099.00 2,999.00 4,499.00 499.00 849.00 1,399.00 2,499.00 599.00 799.00 699.00

<u>Model</u>

All Products (In-wall Modules and T-Maxx Products)

<u>SKU</u>

<u>Year</u>

			Poles of					
<u>SKU</u>	Full Name	Comments / Description	Articulation	<u>MSRP</u>				
Vero Headphone Amplifier								
		Vero Headphone Amplifier Battery						
		used - Samsung Lithium-Ion						
HCA 50ex	Vero 50 EX	CR18650-26F, 3.7V, 2600mAh	50	\$3,199.00				
Vero Headphone Cables								
		All Full Range Variations - Audeze, Sennheiser, Mr.						
All Skus	Vero Full Range Headphone Cable	Speakers, HiFi-Man, Etc.	12	Starting at \$499.00				
		All Reference Variations - Audeze, Sennheiser, Mr.						
All Skus	Vero Reference	Speakers, HiFi-Man, Etc.	21	Starting at \$899.00				
Vero Headphone Dongles								
		All Full Range Dongle Variations - 1/4", 3.5mm, XLR,						
All Skus	Vero Full Range Dongle	Etc.	12	\$299.00				
		All Reference Dongle Variations - 1/4", 3.5mm, XLR,						
All Skus	Vero Reference Dongle	Etc.	21	\$499.00				